









Digitized by the Internet Archive  
in 2013

[http://archive.org/details/annualvitalstati19mary\\_0](http://archive.org/details/annualvitalstati19mary_0)

Maryland  
HA  
421  
.A36  
1965

cop. 2  
Folio

Copy 2  
Maryland Room  
University of Maryland Library  
College Park Md.

ANNUAL VITAL STATISTICS REPORT

MARYLAND, 1965

Maryland  
University of Maryland Library  
College Park, Md.

Division of Biostatistics  
Maryland State Department of Health



ANNUAL VITAL STATISTICS REPORT

MARYLAND, 1965

Division of Biostatistics  
Maryland State Department of Health  
301 W. Preston Street  
Baltimore, Maryland 21201  
October, 1966

Maryland

HA

421

A36

1965

Cop. 2

Folio



# T A B L E   O F   C O N T E N T S

<u>Table</u>	<u>Page</u>
Highlights of 1965 Vital Statistics	viii
Definitions and Explanatory Notes	xiv

## Population

1	Estimated Maryland population, by race and political subdivision, July 1, 1965	1
2A	Estimated Maryland total population, by age group and political subdivision, July 1, 1965	2
2B	Estimated Maryland white population, by age group and political subdivision, July 1, 1965	3
2C	Estimated Maryland nonwhite population, by age group and political subdivision, July 1, 1965	4
3	Estimated Maryland population, by race and detailed age group, July 1, 1965	5
4	Maryland population, by political subdivision, Federal censuses of 1910-1960	6

## Selected Vital Statistics, Three Maryland Areas, 1920-1965

5	Births by race, three Maryland areas, 1920-1965	7
6	Birth rates by race, three Maryland areas, 1920-1965	8
7	Deaths by race, three Maryland areas, 1920-1965	9
8	Death rates by race, three Maryland areas, 1920-1965	10
9	Infant deaths by race, three Maryland areas, 1920-1965	11
10	Infant death rates by race, three Maryland areas, 1920-1965	12



# TABLE OF CONTENTS

(Continued)

<u>Table</u>		<u>Page</u>
11	Fetal deaths by race, three Maryland areas, 1920-1965	13
12	Fetal death rates by race, three Maryland areas, 1920-1965	14
	<u>Births</u>	
13	Births and birth rates by race and political subdivision, 1965	15
14	Births, premature births and per cent premature, by race and political subdivision, 1965	16
15	Single and plural births by birthweight and race, three Maryland areas, 1965	17
16	Births by month of birth and race, three Maryland areas, 1965	18
17	Births by age of mother and race, three Maryland areas, 1965	18
18	Births by birth order, age of mother and race, Maryland, 1965	19
19	Illegitimate births by race and political subdivision, 1965	20
20	Illegitimate births by age of mother and race, Maryland, 1965	21
21	Illegitimate births by birth order and race, Maryland, 1965	21
22	Births by hospitalization, race, and political subdivision, 1965	22
23	Births by attendant and race, with per cent physician attended, by political subdivision, 1965	23
24	Births by place of residence and occurrence, race and political subdivision, 1965	24
25	Births to residents of Maryland, and births occurring in Maryland, by area of residence and area of occurrence, 1965	25
	<u>Deaths</u>	
26	Deaths and death rates by race and political subdivision, 1965	26



T A B L E   O F   C O N T E N T S  
(Continued)

<u>Table</u>	<u>Page</u>
27 Deaths by age and race, three Maryland areas, 1965	27
28 Death rates by age and race, three Maryland areas, 1965	27
29A Deaths for twenty leading causes, by sex and race, Maryland, 1965	28
29B Deaths for twenty leading causes, by sex and race, Baltimore City, 1965	29
29C Deaths for twenty leading causes, by sex and race, Total Counties, 1965	30
30A Death rates for twenty leading causes, by sex and race, Maryland, 1965	31
30B Death rates for twenty leading causes, by sex and race, Baltimore City, 1965	32
30C Death rates for twenty leading causes, by sex and race, Total Counties, 1965	33
31 The eight leading causes of male deaths in specified age groups, Maryland, 1965	34
32 The eight leading causes of female deaths in specified age groups, Maryland, 1965	35
33 Deaths from 60 selected causes, by age, Maryland 1965	36
34 Deaths for selected causes, by political subdivision, 1965	40
35 Deaths by month of death and race, three Maryland areas, 1965	42
36 Deaths by hospitalization, race, and political subdivision, 1965	43
37 Deaths by place of residence and occurrence, race, and political subdivision, 1965	44
38 Deaths to residents of Maryland, and deaths occurring in Maryland, by area of residence and area of occurrence, 1965	45



# TABLE OF CONTENTS

(Continued)

<u>Table</u>		<u>Page</u>
	<u>Fetal and Infant Deaths</u>	
39	Fetal deaths and fetal death rates by race and political subdivision, 1965	46
40	Infant deaths and infant death rates by race and political subdivision, 1965	47
41	Neonatal deaths, neonatal death rates, and perinatal death rates, by race and political subdivision, 1965	48
	<u>Marriages</u>	
42	Marriages by resident status and type of ceremony, by political subdivision of occurrence, 1965	49
43	Marriages by age of all brides, and previous marital status and race, Maryland, 1965	50
44	Marriages by age of resident brides, and previous marital status and race, Maryland, 1965	51
45	Marriages by age of all grooms, and previous marital status and race, Maryland, 1965	52
46	Marriages by age of resident grooms, and previous marital status and race, Maryland, 1965	53
47	Marriages by age of bride and age of groom, Maryland, 1965	54
48	Marriages by previous marital status and residence of bride, by race, Maryland, 1965	56
49	Marriages by previous marital status and residence of groom, by race, Maryland, 1965	57
50	Marriages by previous marital status of bride and groom, Maryland, 1965	58
51	Marriages by State of residence of bride and groom, Maryland, 1965	58





T A B L E   O F   C O N T E N T S  
(Continued)

<u>Table</u>		<u>Page</u>
	<u>Divorces</u>	
52	Absolute divorces and annulments, by political subdivision of occurrence and legal grounds for decree, Maryland, 1965	59
53	Limited divorces, by political subdivision of occurrence and legal grounds for decree, Maryland, 1965	60
54	Absolute divorces and annulments, three Maryland areas of occurrence, by duration of marriage, Maryland, 1965	61
55	Absolute divorces and annulments, three Maryland areas of occurrence, by party to whom decree was granted, Maryland, 1965	61
56	Absolute divorces and annulments, three Maryland areas of occurrence, by place where marriage was performed, 1965	62
57	Absolute divorces and annulments by number of children reported under 18 years of age, occurrences in Maryland counties, 1965	62

\*\*\*\*\*



## HIGHLIGHTS OF THE 1965 VITAL STATISTICS FOR MARYLAND

I. Population

The population of Maryland was estimated at 3,551,400 for July 1, 1965. This represented an increase of 14.5 percent since the census of April 1, 1960. Of the numerical increase of approximately 450,000 the larger share - about 254,000 - was due to the excess of births over deaths, while about 196,000 was attributed to a net inflow of migrants.

About 81 percent of the State's population lived in the two metropolitan areas. The Baltimore Metropolitan Area - Baltimore City and Anne Arundel, Baltimore, Carroll, Harford and Howard Counties - contained a total population of 1,939,820. The two Maryland counties in the Washington Metropolitan Area (Montgomery and Prince Georges) had a combined population of 951,480.

The three non-metropolitan regions of the State - Northwestern Maryland, Southern Maryland, and the Eastern Shore - contained about 19 percent of the State's population as of July 1, 1965. The estimate for Northwestern Maryland, the four counties of Garrett, Allegany, Washington, and Frederick, was 298,350. The three counties of Southern Maryland - Calvert, Charles, and St. Marys - had an estimated 99,620 residents. The Eastern Shore, which comprises the nine counties lying east of the Chesapeake Bay and the Susquehanna River, had a 1965 estimate of 262,130 inhabitants.

Since each of the Maryland regions has experienced natural increase since the 1960 census, differences in rate of growth in large part have been determined by the extent of the net gain brought about through migration. The Maryland-National Capital area, which grew by 36 percent between April 1, 1960 and July 1, 1965 had far more immigration than any other area of the State, the net increase for Montgomery and Prince Georges Counties attributed to migration in this period reaching 171,000. The Baltimore Metropolitan Area showed the slowest rate of growth, 7.5 percent. Net migration in this area amounted to less than 4,000 in the 1960-1965 interval.

Among the political subdivisions of Maryland the greatest change in population has occurred in Prince Georges County, where the July 1, 1965 population was estimated to be 48 percent above the figure enumerated in April 1960. Baltimore City, which was estimated to have declined in population by about 2 percent between 1960 and 1965, was the only area showing a loss.



## II. Births

### A. Trend

The number of births to Maryland residents in 1965 fell below 75,000 for the first time since 1956. The 74,137 births reported reflected a drop of almost 5,000 from the level of the previous year.

The crude birth rate in Maryland, which like that for the nation as a whole, has been declining since 1957, fell to 20.9 per 1,000 population in 1965 compared with 22.8 in 1964 and 26.3 in 1957. The birth rate for whites in 1965 of 19.5 per 1,000 was 21 percent below the 1957 level of 24.6. The rate for nonwhites in 1965 of 27.8 per 1,000 was about 20 percent below the peak rate of 34.8 recorded in 1957.

The sharp decline in the number of births was virtually statewide with 22 of the 24 political subdivisions registering decreases in 1965. Similarly, the crude birth rates in almost all areas were lower in 1965 than in 1964.

### B. Age of Mother and Birth Order

During the past decade a combination of factors have interacted to raise the proportion of all births in Maryland contributed by the young childbearing population - women under 25 years - from 42.6 percent in 1955 to 51.9 percent in 1965. One of the principal reasons was the marked pattern of concentration of births in the early years of the childbearing period by women during the 1950's with its concomitant of fewer births at the later childbearing ages. But in addition to the lower fertility now exhibited at the older childbearing ages, in the mid-1960's, women in the older age groups - especially at ages 25-39 years - are becoming a relatively smaller sector of the childbearing population. This proportionate decline results from the fact that this component of the population reflects the low birth rates of the Depression period. Women who have been entering the younger childbearing ages, on the other hand, come from the numerically larger birth cohorts of the late 1940's.

The recent changes in births by mothers' parity (number of previous births) closely relate to the changing age composition of the women in the childbearing population. The proportion of all births that were first births has increased from 25.1 percent in 1960 to 30.2 percent in 1965. Despite the overall 6 percent decline in the number of births in Maryland between 1964 and 1965 the number of first order births actually increased slightly. Thus, all of the loss occurred in the numbers of second and higher order births. The largest proportionate decreases - more than 10 percent - occurred among fourth and higher order births.



### C. Illegitimate Births

There were 8,880 illegitimate births to Maryland residents in 1965, an increase of 363 over the number recorded in 1964. Illegitimate births were up by 10 percent among whites and 1 percent among nonwhites. The increase in illegitimate births despite the overall decline in total births reflects the rising number of teenage girls among the childbearing population; over 45 percent of the illegitimate births occurred to women under age 20.

In 1965 illegitimate births constituted 11.9 percent of all live births to Maryland residents, compared with 10.8 percent in 1964 and 10.0 percent in 1963. Of all white births 4.3 percent were illegitimate, while for nonwhite births the percentage was 38.0. First births sometimes are used as an index of the proportion of childbearing women ever experiencing illegitimacy. Of Maryland residents who had their first birth in 1965 almost 9 percent of white women had illegitimate children, as did about 61 percent of nonwhite women.

### D. Prematurity

In 1965, 7.4 percent of live births of white residents of Maryland were classified as premature while the corresponding percentage among nonwhite births was 15.3. The premature rate for whites was the same as in 1964 but that for nonwhites was slightly higher. Baltimore City's percentages of premature births - 8.6 for whites and 16.7 for nonwhites - continue to be considerably higher than corresponding percentages for the combined counties, although the differences were smaller than in 1964.

## III. Deaths

### A. Trend

The number of deaths of Maryland residents in 1965 was 30,981. The crude death rate of 8.7 per 1,000 population was about two percent higher than the rate of 8.5 in 1964, the lowest on record. Higher rates occurred in both Baltimore City and in the combined counties. The crude death rate for the State has shown relatively little change since 1955.

### B. Deaths by Cause

Death rates for each of the three leading causes of death in Maryland - diseases of the heart, malignant neoplasms, and cerebral hemorrhage and







other vascular lesions - were from two to four percent higher in 1965 as compared with the level in 1964. By contrast the death rate for accidents, the fourth leading cause, was 9 percent higher in 1965 than it had been the previous year, largely as a result of increased motor vehicle fatalities. An increase of more than 20 percent in the death rate for cirrhosis of the liver sufficed to push this cause to 8th place among the 20 leading causes of death, as against 10th place in 1964.

### C. Infant Deaths

The infant death rate in Maryland for 1965 was 24.8 deaths under one year of age per 1,000 live births. This was slightly below the infant mortality rate for 1964 (24.9) which represented the previous low. The white infant death rate of 21.9 per 1,000 live births was about 1 percent higher than the previous three-year average of 21.6. In marked contrast, the nonwhite infant death rate of 34.7, the lowest ever recorded, was about 16 percent under the 1962-1964 average rate of 41.1. In Baltimore City infant mortality among nonwhites was 20 percent below the previous three-year average; in the combined counties the 1965 rate was 10 percent below the comparable three-year average.

### D. Deaths in Hospitals

The proportion of all deaths of Maryland residents which occurred in hospitals and related medical institutions continued its upward trend. In 1965 the percentage reached 71.2, compared to 70.6 in 1964 and 67.3 in 1960. The proportion was higher among residents of Baltimore City (78.2 per cent) than for county residents (67.0) and higher among nonwhites (75.0 percent) than among whites (70.3).

## IV. Marriages

### A. Trend

The number of marriages performed in Maryland in 1965 was 47,345, which represented an increase of four percent over the 45,331 that took place in 1964. The gain is attributed mainly to the fact that children born during the first wave of the postwar surge of births reached their eighteenth birthday during 1965. Compared to the 1964 experience, there was an increase of 1,653 in the number of brides marrying at 18 years of age, and 361 at all other ages.

Highlights of the marriage trend in the past quarter century include large increases in 1941 (mobilization for World War II), 1946



(demobilization), and a minor rise in 1950 (mobilization for the Korean conflict). During the five years, 1958-1962, the number of marriages was relatively constant, about 40,000 a year - the lowest level for the period after 1940.

#### B. Resident Status

In 29,383 of the marriage ceremonies performed in Maryland during 1965, at least one party was a Maryland resident, whereas in 17,962 both were out-of-state residents. Marriages in which a Maryland resident was a bride or groom, rose by 2,038, or about 7 percent. Non-resident couples were 24 fewer in number than in 1964. As usual, more brides (27,706) than grooms (25,852) were residents of the state. Of the resident brides, 3,531 or 13 percent, married grooms from outside Maryland; of the resident grooms, 1,677 or 6 percent, married out-of-state brides.

Marriages between two non-residents comprised 37.9 percent of the ceremonies performed in Maryland in 1965, compared with 39.7 percent in 1964. Marriages of non-residents were concentrated in four counties - Cecil, Allegany, Washington, and Garrett - where fully 68 percent of the total occurred.

#### C. Civil and Religious Ceremonies

Civil ceremonies were chosen by 22.6 percent of all couples married in Maryland in 1965. This compares with 21.0 percent in 1964, the first year in which civil as well as religious ceremonies were permitted. The percentage varied greatly among the subdivisions ranging from less than three percent in Dorchester County to 43 percent in Cecil County.

#### D. Marriages by Age, Previous Marital Status and Race of Bride and Groom

About 78 percent of all brides and 77 percent of all grooms were married for the first time. Of the persons who remarried, the number previously divorced was more than three times that previously widowed.

Some 51 percent of all first-married brides were under 20 years of age; 35 percent were in the age group 20-24 years, and 14 percent were 25 years of age or older. Among grooms marrying for the first time 18 percent were under 20 years, 54 percent were 20-24 years, and 28 percent were at least 25 years of age. The peak age group for remarried brides and remarried grooms was 25-29 years.

Whites who married for the first time were younger in age than non-whites. Some 54 percent of white brides who had not been married previously were under 20 years of age, compared with 37 percent of



nonwhite brides. Similarly, 47 percent of white grooms marrying for the first time but only 35 percent of nonwhite grooms were under 22 years of age.

#### V. Divorces

Absolute divorces (6,850) and annulments (128) granted in Maryland in 1965 totaled 6,978, an increase of four percent over 1964. There were 183 limited divorces in 1965.

About half of all absolute divorces and annulments in 1965 were granted on the legal ground of voluntary separation (3,484) and nearly all of the remainder had as the legal ground either desertion (2,202) or adultery (989).

The median duration of the marriages which ended in absolute divorce or annulment in 1965 was 9.5 years. About 17 percent of all dissolved marriages were of less than four years duration, while 16 percent had lasted 20 years or longer.

About 70 percent of all couples granted divorces in Maryland in 1965 had also been married in the state. Of the divorced couples whose marriages had taken place outside of Maryland, more than one-third had been married in the District of Columbia or Virginia.

Information on the number of children under 18 years of age, as reported by divorced couples, was available only for decrees granted in the counties. Some 62 percent of these couples reported children in this age group. One child was reported in 26 percent of divorces, two to four children in 34 percent, and five or more children in slightly less than 3 percent of divorces.



## DEFINITIONS AND EXPLANATORY NOTES

The definitions of some of the more frequently used terms in this report are as follows:

- A. Live Births: The complete expulsion or extraction from its mother of a product of human conception irrespective of the period of gestation, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.
- B. Fetal Death: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles.
- C. Infant Death: Death occurring to a person under age one.
- D. Neonatal Death: Death occurring to a person under 28 days of age.
- E. Perinatal Death: Death occurring after 20 weeks of gestation but before 28 days after birth. The perinatal deaths included in this report are, therefore, the sum of the reportable fetal deaths and the neonatal deaths.
- F. Premature Birth: A live birth weighing 2500 grams (5½ lbs.) or less.
- G. Birth Rate: Number of live births per 1,000 population.







- H. Death Rate: Number of deaths from all causes per 1,000 population. Death rates for specific causes are per 100,000 population.
- I. Infant Death Rate: Number of infant deaths per 1,000 live births.
- J. Fetal Death Rate: Number of reportable fetal deaths per 1,000 total births. Total births include live births plus fetal deaths of twenty weeks gestation or more.
- K. Neonatal Death Rate: Number of neonatal deaths per 1,000 live births.
- L. Perinatal Death Rate: Number of perinatal deaths per 1,000 total births. Total births include live births plus fetal deaths of twenty weeks gestation or more.

The definitions of terms A and B are set by law (Annotated Code of Maryland, 1957 Edition, as amended; Article 43, Section 14(a)). However, fetal deaths are reportable for filing purposes with the State Board of Health and Mental Hygiene only if the death occurs after a gestation period of twenty completed weeks or more (Article 43, Section 21(a)). Therefore, the fetal deaths included in the statistics of this report include only those of twenty or more weeks of gestation.

The data contained in this report are on a residence basis, regardless of where the vital event occurred, unless specifically noted otherwise.

\* \* \* \* \*

Note: Following the release of "Advance Vital Statistics 1965" on July 14, 1966, minor corrections have been made in the number of resident deaths by race for Baltimore, Howard and Montgomery Counties, which are reflected in the state and combined county totals. The corrected figures appear in this report.



TABLE 1. ESTIMATED MARYLAND POPULATION, BY RACE AND POLITICAL  
SUBDIVISION JULY 1, 1965

Political Subdivision	POPULATION			Per Cent Nonwhite
	Total	White	Nonwhite	
Maryland State	3,551,400	2,954,490	596,910	16.8
Baltimore City	917,750	548,090	369,660	40.3
Total Counties	2,633,650	2,406,400	227,250	8.6
Allegany	88,750	87,590	1,160	1.3
Anne Arundel	256,180	222,750	33,430	13.0
Baltimore	561,690	544,340	17,350	3.1
Calvert	18,450	10,410	8,040	43.6
Caroline	20,740	16,590	4,150	20.0
Carroll	61,080	58,430	2,650	4.3
Cecil	56,150	52,990	3,160	5.6
Charles	37,910	25,010	12,900	34.0
Dorchester	31,030	21,770	9,260	29.8
Frederick	84,150	78,350	5,800	6.9
Garrett	22,060	22,010	50	0.2
Harford	95,410	86,830	8,580	9.0
Howard	47,710	43,070	4,640	9.7
Kent	15,970	12,020	3,950	24.7
Montgomery	421,930	405,570	16,360	3.9
Prince Georges	529,550	485,570	43,980	8.3
Queen Annes	17,240	12,640	4,600	26.7
Saint Marys	43,260	34,350	8,910	20.6
Somerset	19,970	11,950	8,020	40.2
Talbot	23,050	16,710	6,340	27.5
Washington	103,390	100,210	3,180	3.1
Wicomico	52,560	40,580	11,980	22.8
Worcester	25,420	16,660	8,760	34.5



TABLE 2A. ESTIMATED MARYLAND TOTAL POPULATION, BY AGE GROUP AND POLITICAL SUBDIVISION, JULY 1, 1965

Political Subdivision	All Ages	TOTAL POPULATION BY AGE					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	3,551,400	74,940	321,610	941,050	1,279,750	676,070	257,980
Baltimore City	917,750	20,430	81,750	226,340	297,940	201,810	89,480
Total Counties	2,633,650	54,510	239,860	714,710	981,810	474,260	168,500
Allegany	88,750	1,520	6,260	21,270	29,860	20,200	9,640
Anne Arundel	256,180	5,280	23,080	70,410	106,720	37,770	12,920
Baltimore	561,690	10,210	45,850	155,450	208,580	106,910	34,690
Calvert	18,450	460	1,930	5,750	5,820	3,110	1,380
Caroline	20,740	380	1,690	5,260	6,340	4,240	2,830
Carroll	61,080	1,120	4,850	14,700	22,250	11,690	6,470
Cecil	56,150	1,300	4,800	13,070	24,550	8,640	3,790
Charles	37,910	1,010	4,250	12,090	12,870	5,730	1,960
Dorchester	31,030	520	2,050	7,100	9,760	7,610	3,990
Frederick	84,150	1,610	6,710	21,470	31,630	15,380	7,350
Garrett	22,060	420	1,820	6,070	7,290	4,130	2,330
Harford	95,410	2,220	9,570	26,070	37,000	15,390	5,160
Howard	47,710	990	4,730	14,150	17,830	7,130	2,880
Kent	15,970	310	1,290	3,770	5,240	3,580	1,780
Montgomery	421,930	8,040	39,160	125,710	142,760	82,840	23,420
Prince Georges	529,550	13,280	57,550	139,730	213,920	84,810	20,260
Queen Annes	17,240	320	1,460	4,640	5,510	3,360	1,950
Saint Marys	43,260	1,380	5,060	12,190	17,170	5,310	2,150
Somerset	19,970	340	1,540	5,010	5,820	4,440	2,820
Talbot	23,050	430	1,720	5,480	7,390	4,980	3,050
Washington	103,390	1,870	8,380	25,270	39,130	19,750	8,990
Wicomico	52,560	1,010	4,120	13,650	16,510	11,500	5,770
Worcester	25,420	490	1,990	6,400	7,860	5,760	2,920





TABLE 2B. ESTIMATED MARYLAND WHITE POPULATION, BY AGE GROUP AND POLITICAL SUBDIVISION, JULY 1, 1965

Political Subdivision	All Ages	WHITE POPULATION BY AGE					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	2,954,490	58,350	253,000	760,210	1,075,510	579,840	227,580
Baltimore City	548,090	10,020	38,920	115,560	171,210	140,350	72,030
Total Counties	2,406,400	48,330	214,080	644,650	904,300	439,490	155,550
Allegany	87,590	1,500	6,180	20,970	29,410	19,960	9,570
Anne Arundel	222,750	4,460	19,570	60,760	93,780	33,400	10,780
Baltimore	544,340	9,790	44,040	150,320	202,470	103,990	33,730
Calvert	10,410	200	890	2,740	3,340	2,210	1,030
Caroline	16,590	270	1,230	3,960	5,050	3,540	2,540
Carroll	58,430	1,060	4,580	14,130	21,340	11,070	6,250
Cecil	52,990	1,210	4,490	12,210	23,440	8,090	3,550
Charles	25,010	560	2,460	7,160	9,100	4,270	1,460
Dorchester	21,770	310	1,210	4,170	7,080	5,730	3,270
Frederick	78,350	1,440	6,050	19,770	29,770	14,440	6,880
Garrett	22,010	420	1,820	6,020	7,290	4,130	2,330
Harford	86,830	1,970	8,570	23,330	34,080	14,160	4,720
Howard	43,070	870	4,280	12,860	15,910	6,480	2,670
Kent	12,020	210	890	2,620	4,120	2,760	1,420
Montgomery	405,570	7,600	37,510	121,440	136,610	79,770	22,640
Prince Georges	485,570	12,030	51,630	125,200	199,280	78,630	18,800
Queen Annes	12,640	220	990	3,120	4,130	2,530	1,650
Saint Marys	34,350	1,030	3,750	9,400	14,080	4,270	1,820
Somerset	11,950	170	760	2,570	3,280	3,150	2,020
Talbot	16,710	270	1,160	3,790	5,340	3,790	2,360
Washington	100,210	1,820	8,150	24,690	37,460	19,330	8,760
Wicomico	40,580	680	2,790	9,800	12,850	9,530	4,930
Worcester	16,660	240	1,080	3,620	5,090	4,260	2,370





TABLE 2C. ESTIMATED MARYLAND NONWHITE POPULATION, BY AGE GROUP AND POLITICAL SUBDIVISION, JULY 1, 1965

Political Subdivision	All Ages	NONWHITE POPULATION BY AGE					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	596,910	16,590	68,610	180,840	204,240	96,230	30,400
Baltimore City	369,660	10,410	42,830	110,780	126,730	61,460	17,450
Total Counties	227,250	6,180	25,780	70,060	77,510	34,770	12,950
Allegany	1,160	20	80	300	450	240	70
Anne Arundel	33,430	820	3,510	9,650	12,940	4,370	2,140
Baltimore	17,350	420	1,810	5,130	6,110	2,920	960
Calvert	8,040	260	1,040	3,010	2,480	900	350
Caroline	4,150	110	460	1,300	1,290	700	290
Carroll	2,650	60	270	570	910	620	220
Cecil	3,160	90	310	860	1,110	550	240
Charles	12,900	450	1,730	4,930	3,770	1,460	500
Dorchester	9,260	210	840	2,930	2,680	1,880	720
Frederick	5,800	170	660	1,700	1,860	940	470
Garrett	50	-	-	50	-	-	-
Harford	8,580	250	1,000	2,740	2,920	1,230	440
Howard	4,640	120	450	1,290	1,920	650	210
Kent	3,950	100	400	1,150	1,120	820	360
Montgomery	16,360	440	1,650	4,270	6,150	3,070	780
Prince Georges	43,980	1,250	5,920	14,530	14,640	6,180	1,460
Queen Annes	4,600	100	470	1,520	1,380	830	300
Saint Marys	8,910	350	1,310	2,790	3,090	1,040	330
Somerset	8,020	170	780	2,440	2,540	1,290	800
Talbot	6,340	160	560	1,690	2,050	1,190	690
Washington	3,180	50	230	580	1,670	420	230
Wicomico	11,980	330	1,330	3,850	3,860	1,970	840
Worcester	8,760	250	910	2,780	2,770	1,500	550



TABLE 3. ESTIMATED MARYLAND POPULATION, BY RACE AND DETAILED AGE GROUP, JULY 1, 1965

Age	POPULATION		
	Total	White	Nonwhite
Total, All Ages	3,551,400	2,954,490	596,910
Under 5	396,550	311,350	85,200
5 - 9	389,760	312,640	77,120
10 - 14	355,370	287,700	67,670
15 - 19	322,070	266,150	55,920
20 - 24	256,610	218,630	37,980
25 - 29	213,800	179,190	34,610
30 - 34	210,210	175,070	35,140
35 - 44	472,980	396,340	76,640
45 - 54	400,520	341,700	58,820
55 - 64	275,550	238,140	37,410
65 - 74	167,040	147,490	19,550
75 & over	90,940	80,090	10,850



TABLE 4. MARYLAND POPULATION, BY POLITICAL SUBDIVISION, FEDERAL CENSUSES OF 1910-1960

Political Subdivision	1960	1950	1940	1930	1920*	1910
Maryland State	3,100,689	2,343,001	1,821,244	1,631,526	1,449,661	1,295,346
Baltimore City*	939,024	949,708	859,100	804,874	733,826	558,485
Total Counties	2,161,665	1,393,293	962,144	826,652	715,835	736,861
Allegany	84,169	89,556	86,973	79,098	69,938	62,411
Anne Arundel*	206,634	117,392	68,375	55,167	43,408	39,553
Baltimore*	492,428	270,273	155,825	124,565	74,817	122,349
Calvert	15,826	12,100	10,484	9,528	9,744	10,325
Caroline	19,462	18,234	17,549	17,387	18,652	19,216
Carroll	52,785	44,907	39,054	35,978	34,245	33,934
Cecil	48,408	33,356	26,407	25,827	23,612	23,759
Charles	32,572	23,415	17,612	16,166	17,705	16,386
Dorchester	29,666	27,815	28,006	26,813	27,895	28,669
Frederick	71,930	62,287	57,312	54,440	52,541	52,673
Garrett	20,420	21,259	21,981	19,908	19,678	20,105
Harford	76,722	51,782	35,060	31,603	29,291	27,965
Howard	36,152	23,119	17,175	16,169	15,826	16,106
Kent	15,481	13,677	13,465	14,242	15,026	16,957
Montgomery	340,928	164,401	83,912	49,206	34,921	32,089
Prince Georges	357,395	194,182	89,490	60,095	43,347	36,147
Queen Annes	16,569	14,579	14,476	14,571	16,001	16,839
Saint Marys	38,915	29,111	14,626	15,189	16,112	17,030
Somerset	19,623	20,745	20,965	23,382	24,602	26,455
Talbot	21,578	19,428	18,784	18,583	18,306	19,620
Washington	91,219	78,886	68,838	65,882	59,694	49,617
Wicomico	49,050	39,641	34,530	31,229	28,195	26,815
Worcester	23,733	23,148	21,245	21,624	22,309	21,841

\* Parts of Anne Arundel and Baltimore Counties annexed to Baltimore City in 1919.



TABLE 5. BIRTHS BY RACE, THREE MARYLAND AREAS, 1920-1965

Year	N U M B E R O F B I R T H S									
	Maryland State					Baltimore City				
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total Counties
1920	36,720	29,888	6,832	18,426	15,584	2,842	18,294	14,304	3,990	
1925	34,313	27,504	6,809	16,357	13,181	3,176	17,956	14,323	3,633	
1930	30,988	24,455	6,533	14,015	10,862	3,153	16,973	13,593	3,380	
1935	28,143	22,112	6,031	12,332	9,363	2,969	15,811	12,749	3,062	
1940	32,368	25,438	6,930	13,712	10,105	3,607	18,656	15,333	3,323	
1945	42,816	34,678	8,138	17,848	13,308	4,540	24,968	31,370	3,598	
1950	55,992	43,599	12,393	21,382	14,168	7,214	34,610	29,431	5,179	
1955	69,205	54,549	14,656	23,291	14,366	8,925	45,914	40,183	5,731	
1956	72,111	56,387	15,724	23,782	14,032	9,750	48,329	42,355	5,974	
1957	76,127	59,122	17,005	25,067	14,305	10,762	51,060	44,817	6,243	
1958	75,997	58,862	17,135	24,464	13,380	11,084	51,553	45,482	6,051	
1959	77,165	59,538	17,627	23,893	12,577	11,316	53,272	46,961	6,311	
1960	77,496	60,093	17,403	23,262	11,998	11,264	54,234	48,095	6,139	
1961	78,190	60,697	17,493	23,153	11,942	11,211	55,037	48,755	6,282	
1962	76,325	59,130	17,195	22,252	11,309	10,943	54,073	47,821	6,252	
1963	78,146	60,770	17,376	22,091	11,200	10,891	56,055	49,570	6,485	
1964	79,003	61,388	17,615	21,987	10,797	11,190	57,016	50,591	6,425	
1965	74,137	57,526	16,611	19,907	9,629	10,278	54,230	47,897	6,333	







TABLE 6. BIRTH RATES BY RACE, THREE MARYLAND AREAS, 1920-1965

Year	B I R T H   R A T E S   P E R   1 , 0 0 0   P O P U L A T I O N									
	Maryland State			Baltimore City			Total Counties			Non-white
	Total	White	Non-white	Total	White	Non-white	Total	White		
1920	25.2	24.7	27.7	25.0	24.9	25.8	25.4	24.4	29.3	
1925	22.2	21.4	25.9	21.2	20.4	25.0	23.2	22.4	26.8	
1930	18.9	18.0	23.5	17.4	16.4	22.0	20.4	19.5	25.1	
1935	16.3	15.3	20.7	14.8	13.8	19.1	17.6	16.7	22.6	
1940	17.6	16.6	22.7	15.9	14.6	21.5	19.2	18.3	24.3	
1945	20.4	19.8	23.4	19.7	18.8	23.0	21.0	20.6	24.0	
1950	23.8	22.2	31.7	22.5	19.5	31.7	24.6	23.7	31.8	
1955	25.3	23.9	31.8	24.7	21.6	31.9	25.6	24.9	31.7	
1956	25.6	24.1	33.1	25.2	21.5	33.6	25.8	25.1	32.3	
1957	26.3	24.6	34.8	26.6	22.3	35.8	26.2	25.4	33.1	
1958	25.6	23.9	34.1	26.0	21.2	35.7	25.4	24.8	31.5	
1959	25.4	23.6	34.1	25.4	20.3	35.3	25.3	24.6	32.3	
1960	24.8	23.2	32.8	24.8	19.7	34.0	24.9	24.3	30.8	
1961	24.5	22.9	32.4	24.7	19.9	33.2	24.4	23.8	31.0	
1962	23.6	22.0	31.2	23.9	19.3	31.6	23.4	22.7	30.5	
1963	23.2	21.8	30.2	23.9	19.6	30.8	23.0	22.3	29.4	
1964	22.8	21.3	30.4	23.8	19.3	30.9	22.4	21.8	29.4	
1965	20.9	19.5	27.8	21.7	17.6	27.8	20.6	19.9	27.9	



TABLE 7. DEATHS BY RACE, THREE MARYLAND AREAS, 1920-1965

Year	N U M B E R O F D E A T H S									
	Maryland State			Baltimore City			Total Counties			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	
1920	21,401	16,162	5,239	11,205	8,676	2,529	10,196	7,486	2,710	
1925	21,854	16,254	5,600	11,432	8,541	2,891	10,422	7,713	2,709	
1930	21,845	16,481	5,364	11,039	8,194	2,845	10,806	8,287	2,519	
1935	21,138	16,083	5,055	10,707	7,917	2,790	10,431	8,166	2,265	
1940	21,883	16,943	4,940	11,096	8,243	2,853	10,787	8,700	2,087	
1945	22,376	17,581	4,795	11,358	8,481	2,877	11,018	9,100	1,918	
1950	22,450	17,811	4,639	10,624	7,835	2,789	11,826	9,976	1,850	
1955	24,344	19,727	4,617	10,781	7,967	2,814	13,563	11,760	1,803	
1956	25,163	20,227	4,936	11,131	8,121	3,010	14,032	12,106	1,926	
1957	26,497	21,309	5,188	11,464	8,259	3,205	15,033	13,050	1,983	
1958	27,161	21,754	5,407	11,446	8,069	3,377	15,715	13,685	2,030	
1959	27,107	21,872	5,235	11,225	7,928	3,297	15,882	13,944	1,938	
1960	27,992	22,447	5,545	11,483	8,020	3,463	16,509	14,427	2,082	
1961	27,714	22,215	5,499	11,162	7,709	3,453	16,552	14,506	2,046	
1962	28,471	22,893	5,578	11,338	7,775	3,563	17,133	15,118	2,015	
1963	30,304	24,272	6,032	12,025	8,154	3,871	18,279	16,118	2,161	
1964	29,540	23,781	5,759	11,392	7,624	3,768	18,148	16,157	1,991	
1965	30,981	24,958	6,023	11,643	7,856	3,787	19,338	17,102	2,236	



TABLE 8. DEATH RATES BY RACE, THREE MARYLAND AREAS, 1920-1965

Year	D E A T H   R A T E S   P E R   1 , 0 0 0   P O P U L A T I O N								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1920	14.7	13.3	21.3	15.2	13.8	22.9	14.1	12.8	19.9
1925	14.1	12.6	21.3	14.8	13.2	22.8	13.4	12.1	20.0
1930	13.3	12.3	19.3	13.7	12.4	19.8	13.0	11.9	18.7
1935	12.2	11.2	17.4	12.8	11.7	18.0	11.6	10.7	16.7
1940	11.9	11.1	16.2	12.9	11.9	17.0	11.1	10.4	15.2
1945	10.7	10.1	13.8	12.5	12.0	14.5	9.3	8.8	12.8
1950	9.5	9.1	11.9	11.1	10.8	12.3	8.4	8.0	11.4
1955	8.9	8.7	10.0	11.4	12.0	10.1	7.5	7.3	10.0
1956	8.9	8.6	10.4	11.8	12.4	10.4	7.5	7.2	10.4
1957	9.2	8.9	10.6	12.2	12.9	10.7	7.7	7.4	10.5
1958	9.2	8.8	10.8	12.2	12.8	10.9	7.8	7.5	10.6
1959	8.9	8.7	10.1	11.9	12.8	10.3	7.5	7.3	9.9
1960	9.0	8.7	10.5	12.2	13.2	10.5	7.6	7.3	10.4
1961	8.7	8.4	10.2	11.9	12.9	10.2	7.4	7.1	10.1
1962	8.8	8.5	10.1	12.2	13.3	10.3	7.4	7.2	9.8
1963	9.0	8.7	10.5	13.0	14.3	10.9	7.5	7.3	9.8
1964	8.5	8.2	9.9	12.4	13.6	10.4	7.1	6.9	9.1
1965	8.7	8.4	10.1	12.7	14.3	10.2	7.3	7.1	9.8



TABLE 9. INFANT DEATHS BY RACE, THREE MARYLAND AREAS, 1920-1965

Year	N U M B E R O F I N F A N T D E A T H S									
	Maryland State			Baltimore City			Total Counties			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	
1920	3,785	2,667	1,118	1,926	1,461	465	1,859	1,206	653	
1925	3,080	2,086	994	1,325	935	390	1,755	1,151	604	
1930	2,339	1,541	798	916	619	297	1,423	922	501	
1935	1,734	1,120	614	673	432	241	1,061	688	373	
1940	1,593	1,062	531	641	387	254	952	675	277	
1945	1,634	1,113	521	708	436	272	926	677	249	
1950	1,476	965	511	581	307	274	895	658	237	
1955	1,917	1,223	694	723	340	383	1,194	883	311	
1956	1,888	1,244	644	714	334	380	1,174	910	264	
1957	2,144	1,346	798	868	355	513	1,276	991	285	
1958	2,212	1,421	791	861	366	495	1,351	1,055	296	
1959	2,209	1,370	839	847	315	532	1,362	1,055	307	
1960	2,122	1,341	781	757	292	465	1,365	1,049	316	
1961	1,998	1,273	725	741	297	444	1,257	976	281	
1962	2,071	1,334	737	732	286	446	1,339	1,048	291	
1963	2,016	1,326	690	678	264	414	1,338	1,062	276	
1964	1,970	1,251	719	682	238	444	1,288	1,013	275	
1965	1,837	1,260	577	565	239	326	1,272	1,021	251	









TABLE 11. FETAL DEATHS BY RACE, THREE MARYLAND AREAS, 1920-1965

Year	NUMBER OF FETAL DEATHS									
	Maryland State			Baltimore City			Total Counties			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	
1920	2,916	2,028	888	1,422	995	427	1,494	1,033	461	
1925	2,400	1,643	757	1,239	832	407	1,161	811	350	
1930	2,160	1,409	751	1,038	650	388	1,122	759	363	
1935	1,587	1,091	496	702	460	242	885	631	254	
1940	1,352	860	492	638	373	265	714	487	227	
1945	1,220	805	415	616	352	264	604	453	151	
1950	1,102	728	374	460	270	190	642	458	184	
1955	1,109	797	312	354	195	159	755	602	153	
1956	1,187	836	351	406	215	191	781	621	160	
1957	1,174	776	398	408	179	229	766	597	169	
1958	1,197	775	422	444	179	265	753	596	157	
1959	1,265	857	408	441	192	249	824	665	159	
1960	1,224	811	413	428	187	241	796	624	172	
1961	1,218	810	408	433	176	257	785	634	151	
1962	1,176	813	363	372	145	227	804	668	136	
1963	1,198	804	394	396	150	246	802	654	148	
1964	1,143	748	395	367	117	250	776	631	145	
1965	1,110	716	394	382	140	242	728	576	152	



TABLE 12. FETAL DEATH RATES BY RACE, THREE MARYLAND AREAS, 1920-1965

Year	FETAL DEATH RATES			PER 1,000			TOTAL BIRTHS		
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	73.6	63.5	115.0	71.6	60.0	130.6	75.5	67.4	103.6
1925	65.4	56.4	100.1	70.4	59.4	113.6	60.7	53.6	87.9
1930	65.2	54.5	103.1	69.0	56.5	109.6	62.0	52.9	97.0
1935	53.4	47.0	76.0	53.9	46.8	75.4	53.0	47.2	76.6
1940	40.1	32.7	66.3	44.5	35.6	68.4	36.9	30.8	63.9
1945	27.7	22.7	48.5	33.4	25.8	55.0	23.6	20.8	40.3
1950	19.3	16.4	29.3	21.1	18.7	25.7	18.2	15.3	34.3
1955	15.8	14.4	20.8	15.0	13.4	17.5	16.2	14.8	26.0
1956	16.2	14.6	21.8	16.8	15.1	19.2	15.9	14.4	26.1
1957	15.2	13.0	22.9	16.0	12.4	20.8	14.8	13.1	26.4
1958	15.5	13.0	24.0	17.8	13.2	23.4	14.4	12.9	25.3
1959	16.1	14.2	22.6	18.1	15.0	21.5	15.2	14.0	24.6
1960	15.2	13.3	23.2	18.1	15.3	20.9	14.5	12.8	27.3
1961	15.3	13.2	22.8	18.4	14.5	22.4	14.1	12.8	23.5
1962	15.2	13.6	20.7	16.4	12.7	20.3	14.7	13.8	21.3
1963	15.1	13.1	22.2	17.6	13.2	22.1	14.1	13.0	22.3
1964	14.3	12.0	21.9	16.4	10.7	21.9	13.4	12.3	22.1
1965	14.8	12.3	23.2	18.8	14.3	23.0	13.2	11.9	23.4



TABLE 13. BIRTHS AND BIRTH RATES BY RACE AND POLITICAL SUBDIVISION, 1965

Area of Residence	NUMBER OF BIRTHS			BIRTH RATES*		
	Total	White	Non-white	Total	White	Non-white
Maryland State	74,137	57,526	16,611	20.9	19.5	27.8
Baltimore City	19,907	9,629	10,278	21.7	17.6	27.8
Total Counties	54,230	47,897	6,333	20.6	19.9	27.9
Allegany	1,507	1,483	24	17.0	16.9	20.7
Anne Arundel	5,197	4,347	850	20.3	19.5	25.4
Baltimore	10,044	9,627	417	17.9	17.7	24.0
Calvert	466	188	278	25.3	18.1	34.6
Caroline	371	254	117	17.9	15.3	28.2
Carroll	1,120	1,059	61	18.3	18.1	23.0
Cecil	1,239	1,156	83	22.1	21.8	26.3
Charles	1,004	536	468	26.5	21.4	36.3
Dorchester	508	301	207	16.4	13.8	22.4
Frederick	1,602	1,424	178	19.0	18.2	30.7
Garrett	431	430	1	19.5	19.5	...
Harford	2,202	1,957	245	23.1	22.5	28.6
Howard	980	854	126	20.5	19.8	27.2
Kent	290	202	88	18.2	16.8	22.3
Montgomery	7,973	7,504	469	18.9	18.5	28.7
Prince Georges	13,627	12,327	1,300	25.7	25.4	29.6
Queen Annes	294	198	96	17.1	15.7	20.9
Saint Marys	1,307	971	336	30.2	28.3	37.7
Somerset	342	157	185	17.1	13.1	23.1
Talbot	429	267	162	18.6	16.0	25.6
Washington	1,816	1,769	47	17.6	17.7	14.8
Wicomico	980	651	329	18.6	16.0	27.5
Worcester	501	235	266	19.7	14.1	30.4

\* Birth rates are per 1000 population.





TABLE 14. BIRTHS, PREMATURE BIRTHS, AND PER CENT PREMATURE, BY RACE AND POLITICAL SUBDIVISION, 1965

Area of Residence	ALL BIRTHS*			PREMATURE BIRTHS			PER CENT PREMATURE**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Maryland State	74,137	57,526	16,611	6,810	4,276	2,534	9.2	7.4	15.3
Baltimore City	19,907	9,629	10,278	2,544	838	1,716	12.8	8.6	16.7
Total Counties	54,230	47,897	6,333	4,266	3,448	818	7.9	7.2	12.9
Allegany	1,507	1,483	24	113	112	1	7.5	7.6	4.2
Anne Arundel	5,197	4,347	850	439	316	123	8.4	7.3	14.5
Baltimore	10,044	9,627	417	793	731	62	7.9	7.6	14.9
Calvert	466	188	278	32	11	21	6.9	5.9	7.6
Caroline	371	254	117	46	26	20	12.4	10.2	17.1
Carroll	1,120	1,059	61	80	68	12	7.1	6.4	19.7
Cecil	1,139	1,156	83	104	96	8	8.4	8.3	9.6
Charles	1,004	536	468	93	36	57	9.3	6.7	12.2
Dorchester	508	301	207	50	19	31	9.8	6.3	15.0
Frederick	1,602	1,424	178	114	94	20	7.1	6.6	11.2
Garrett	431	430	1	27	27	-	6.3	6.3	-
Harford	2,202	1,957	245	193	161	32	8.8	8.2	13.1
Howard	980	854	126	71	59	12	6.9	6.9	9.5
Kent	290	202	88	21	9	12	7.2	4.5	13.6
Montgomery	7,973	7,504	469	567	520	47	7.1	6.9	10.0
Prince Georges	13,627	12,327	1,300	1,028	863	165	7.5	7.0	12.7
Queen Anne's	294	198	96	26	14	12	8.8	7.1	12.5
Saint Marys	1,307	971	336	97	60	37	7.4	6.2	11.0
Somerset	342	157	185	34	17	17	9.9	10.8	9.2
Talbot	429	267	162	47	26	21	11.0	9.7	13.0
Washington	1,816	1,769	47	122	113	9	6.7	6.4	19.1
Wicomico	980	651	329	113	58	55	11.5	8.9	16.7
Worcester	501	235	266	56	12	44	11.2	5.1	16.5

\* Includes 59 births with weight not stated.

\*\* Per cent of all births.



TABLE 15. SINGLE AND PLURAL BIRTHS, BY BIRTHWEIGHT AND RACE, THREE MARYLAND AREAS, 1965

Area of Residence	SINGLE BIRTHS				PLURAL BIRTHS			
	BIRTHWEIGHT			PER CENT 2500 gms and less	BIRTHWEIGHT			PER CENT 2500 gms and less
	Total Single births	2500 gms and less	2501 gms and over		Not stated	2501 gms and over	2500 gms and less	
MARYLAND STATE								
Total	72,634	5,975	66,583	8.2	76	666	835	55.6
White	56,427	3,703	52,664	6.6	60	524	573	52.1
Nonwhite	16,207	2,272	13,919	14.0	16	142	262	64.9
BALTIMORE CITY								
Total	19,493	2,282	17,192	11.7	19	152	262	63.3
White	9,467	734	8,719	7.8	14	68	94	58.0
Nonwhite	10,026	1,548	8,473	15.4	5	84	168	66.7
TOTAL COUNTIES								
Total	53,141	3,693	49,391	6.9	57	514	573	52.6
White	46,960	2,969	43,945	6.3	46	456	479	51.1
Nonwhite	6,181	724	5,446	11.7	11	58	94	61.8



TABLE 16. BIRTHS BY MONTH OF BIRTH AND RACE, THREE MARYLAND AREAS, 1965

Area of Residence	Race	All months	M O N T H O F B I R T H											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All births	74,137	6115	5569	6262	5813	6193	6078	6623	6573	6561	6138	5998	6214
	White	57,526	4695	4310	4861	4544	4853	4711	5129	5098	5094	4781	4626	4824
	Nonwhite	16,611	1420	1259	1401	1269	1340	1367	1494	1475	1467	1357	1372	1390
Baltimore City	All births	19,907	1658	1476	1680	1513	1671	1629	1729	1767	1756	1657	1650	1721
	White	9,629	795	710	831	728	851	771	822	845	851	820	779	826
	Nonwhite	10,278	863	766	849	780	820	858	907	922	905	837	871	895
Total Counties	All births	54,230	4457	4093	4582	4300	4522	4449	4894	4806	4805	4481	4348	4493
	White	47,897	3900	3600	4030	3816	4002	3940	4307	4253	4243	3961	3847	3998
	Nonwhite	6,333	557	493	552	484	520	509	587	553	562	520	501	495

TABLE 17. BIRTHS BY AGE OF MOTHER AND RACE, THREE MARYLAND AREAS, 1965

Area of Residence	Race	All ages	A G E O F M O T H E R								45 & over	Not stated
			Under 15	15-19	20-24	25-29	30-34	35-39	40-44			
Maryland State	All births	74,137	229	12,243	25,991	18,292	10,471	5,314	1,489	75	33	
	White	57,526	44	7,730	20,837	15,027	8,419	4,197	1,189	61	22	
	Nonwhite	16,611	185	4,513	5,154	3,265	2,052	1,117	300	14	11	
Baltimore City	All births	19,907	144	4,465	6,896	4,317	2,417	1,293	353	19	3	
	White	9,629	13	1,618	3,754	2,301	1,155	612	166	8	2	
	Nonwhite	10,278	131	2,847	3,142	2,016	1,262	681	187	11	1	
Total Counties	All births	54,230	85	7,778	19,095	13,975	8,054	4,021	1,136	56	30	
	White	47,897	31	6,112	17,083	12,726	7,264	3,585	1,023	53	20	
	Nonwhite	6,333	54	1,666	2,012	1,249	790	436	113	3	10	





TABLE 18. BIRTHS BY BIRTH ORDER, AGE OF MOTHER, AND RACE, MARYLAND, 1965

Birth Order*	AGE OF MOTHER								
	All Ages**	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & over
<b>Total births:</b>	74,137	229	12,243	25,991	18,292	10,471	5,314	1,489	75
First child	22,373	219	8,544	9,742	2,763	756	278	57	6
Second	18,475	10	2,793	8,549	4,814	1,604	556	142	5
Third	13,099	-	725	4,422	4,469	2,334	938	190	11
Fourth	8,266	-	137	1,955	2,833	2,104	980	248	8
Fifth	4,979	-	32	850	1,640	1,381	819	245	10
Sixth	2,839	-	5	305	898	886	564	173	7
Seventh	1,659	-	-	113	451	596	373	120	5
Eighth or more	2,409	-	-	46	417	806	804	312	23
Not stated	38	-	7	9	7	4	2	2	-
<b>Total white:</b>	57,526	44	7,730	20,837	15,027	8,419	4,197	1,189	61
First child	18,004	44	5,909	8,641	2,462	645	235	55	6
Second	15,081	-	1,527	7,214	4,348	1,395	472	119	5
Third	10,595	-	252	3,277	3,954	2,094	836	166	9
Fourth	6,501	-	31	1,189	2,368	1,825	865	216	7
Fifth	3,522	-	6	368	1,118	1,120	694	206	8
Sixth	1,843	-	1	108	491	649	450	138	6
Seventh	916	-	-	25	172	367	259	88	5
Eighth or more	1,037	-	-	8	108	321	385	200	15
Not stated	27	-	4	7	6	3	1	1	-
<b>Total nonwhite:</b>	16,611	185	4,513	5,154	3,265	2,052	1,117	300	14
First child	4,369	175	2,635	1,101	301	111	43	2	-
Second	3,394	10	1,266	1,335	466	209	84	23	-
Third	2,504	-	473	1,145	515	240	102	24	2
Fourth	1,765	-	106	766	465	279	115	32	1
Fifth	1,457	-	26	482	522	261	125	39	2
Sixth	996	-	4	197	407	237	114	35	1
Seventh	743	-	-	88	279	229	114	32	-
Eighth or more	1,372	-	-	38	309	485	419	112	8
Not stated	11	-	3	2	1	1	1	1	-

\* Based on the current live birth plus all previous deliveries to the mother.

\*\* Includes 33 mothers with age not stated.





TABLE 19. ILLEGITIMATE BIRTHS BY RACE, AND POLITICAL SUBDIVISION, 1965

Area	ILLEGITIMATE BIRTHS TO MARYLAND RESIDENTS					ILLEGITIMATE BIRTHS OCCURRING IN MARYLAND		
	Total	White	Non-white	Per Cent Illegitimate		Total	White	Non-white
				Total	White			
Maryland State	8,800	2,493	6,307	11.9	4.3	8,405	2,161	6,244
Baltimore City	4,617	621	3,996	23.2	6.4	5,413	1,058	4,355
Total Counties	4,183	1,872	2,311	7.7	3.9	2,992	1,103	1,889
Allegany	76	67	9	5.0	4.5	84	75	9
Anne Arundel	437	127	310	8.4	2.9	170	45	125
Baltimore	477	351	126	4.7	3.6	37	25	12
Calvert	119	6	113	25.5	3.2	128	7	121
Caroline	63	14	49	17.0	5.5	2	-	2
Carroll	63	44	19	5.6	4.2	21	19	2
Cecil	79	56	23	6.4	4.8	67	46	21
Charles	201	30	171	20.0	5.6	130	16	114
Dorchester	145	22	123	28.5	7.3	133	16	117
Frederick	160	87	73	10.0	6.1	145	66	79
Garrett	18	18	-	4.2	4.2	21	21	-
Harford	123	64	59	5.6	3.3	113	61	52
Howard	90	33	57	9.2	3.9	1	-	1
Kent	55	9	46	19.0	4.5	73	12	61
Montgomery	427	283	144	5.4	3.8	403	234	169
Prince Georges	779	427	352	5.7	3.5	549	228	321
Queen Annes	55	4	51	18.7	2.0	1	-	1
Saint Marys	151	30	121	11.6	3.1	139	23	116
Somerset	83	8	75	24.3	5.1	34	6	28
Talbot	108	18	90	25.2	6.7	205	34	171
Washington	143	123	20	7.9	7.0	140	120	20
Wicomico	188	41	147	19.2	6.3	368	49	319
Worcester	143	10	133	28.5	4.3	28	-	28



TABLE 20. ILLEGITIMATE BIRTHS BY AGE OF MOTHER AND RACE, MARYLAND, 1965

Age of Mother	ILLEGITIMATE BIRTHS			PER CENT ILLEGITIMATE		
	Total	White	Non-white	Total	White	Non-white
All ages*	8,800	2,493	6,307	11.9	4.3	38.0
Under 15	199	23	176	86.9	52.3	95.1
15 - 17	2,058	437	1,621	47.8	20.0	76.5
18 - 19	1,819	563	1,256	22.9	10.2	52.5
20 - 24	2,558	867	1,691	9.8	4.2	32.8
25 - 29	1,113	324	789	6.1	2.2	24.2
30 - 34	623	164	459	5.9	1.9	22.4
35 - 39	339	90	249	6.4	2.1	22.3
40 and over	85	21	64	5.4	1.7	20.4

\* Includes 6 births with age of mother not stated.

TABLE 21. ILLEGITIMATE BIRTHS BY BIRTH ORDER AND RACE, MARYLAND, 1965

Birth Order	ILLEGITIMATE BIRTHS			PER CENT ILLEGITIMATE		
	Total	White	Non-white	Total	White	Non-white
Total illegitimate*	8,800	2,493	6,307	11.9	4.3	38.0
First child	4,224	1,552	2,672	18.9	8.6	61.2
Second	1,626	372	1,254	8.8	2.5	36.9
Third	954	214	740	7.3	2.0	29.6
Fourth	594	132	462	7.2	2.0	26.2
Fifth	491	85	406	9.9	2.4	27.9
Sixth	321	62	259	11.3	3.4	26.0
Seventh	224	32	192	13.5	3.5	25.8
Eighth and over	354	38	316	14.7	3.7	23.0

\* Includes 12 births with birth order not stated.



TABLE 22. BIRTHS BY HOSPITALIZATION, RACE, AND POLITICAL SUBDIVISION, 1965

Area of Residence	NUMBER OF HOSPITAL BIRTHS			PER CENT OF ALL BIRTHS OCCURRING IN HOSPITALS			LOCATION OF HOSPITAL			
	Total	White	Non-white	Total	White	Non-white	County same as Residence	Other County	Other States	Balto. City
Maryland State	73,440	57,290	16,150	99.1	99.6	97.2	24,377	5,756	10,991	32,316
Baltimore City	19,699	9,591	10,108	99.0	99.6	98.3	xxx	467	68	19,164
Total Counties	53,741	47,699	6,042	99.1	99.6	95.4	24,377	5,289	10,923	13,152
Allegany	1,503	1,479	24	99.7	99.7	100.0	1,422	1	79	1
Anne Arundel	5,140	4,315	825	98.9	99.3	97.1	2,293	279	141	2,427
Baltimore	10,002	9,593	409	99.6	99.6	98.1	406	170	122	9,304
Calvert	464	187	277	99.6	99.5	99.6	377	58	14	15
Caroline	369	254	115	99.5	100.0	98.3	-	321	47	1
Carroll	1,109	1,053	56	99.0	99.4	91.8	502	145	229	233
Cecil	1,233	1,150	83	99.5	99.5	100.0	886	211	117	19
Charles	916	527	389	91.2	98.3	83.1	445	170	287	14
Dorchester	469	300	169	92.3	99.7	81.6	369	88	10	2
Frederick	1,595	1,419	176	99.6	99.6	98.9	1,176	104	303	12
Garrett	428	427	1	99.3	99.3	100.0	292	50	86	-
Harford	2,197	1,954	243	99.8	99.8	99.2	1,661	87	30	419
Howard	974	850	124	99.4	99.5	98.4	-	389	65	520
Kent	289	202	87	99.7	100.0	98.9	259	14	15	1
Montgomery	7,942	7,481	461	99.6	99.7	98.3	4,617	170	3,124	31
Prince Georges	13,577	12,294	1,283	99.6	99.7	98.7	5,412	2,079	5,974	112
Queen Annes	289	197	92	98.3	99.5	95.8	-	265	8	16
Saint Marys	1,290	959	331	98.7	98.8	98.5	1,219	25	29	17
Somerset	308	155	153	90.1	98.7	82.7	112	193	2	1
Talbot	425	266	159	99.1	99.6	98.1	395	19	10	1
Washington	1,803	1,756	47	99.3	99.3	100.0	1,597	14	188	4
Wicomico	972	648	324	99.2	99.5	98.5	937	4	29	2
Worcester	447	233	214	89.2	99.1	80.5	-	433	14	-





TABLE 23. BIRTHS BY ATTENDANT AND RACE, WITH PER CENT PHYSICIAN ATTENDED, BY POLITICAL SUBDIVISION, 1965

Area of Residence	D E L I V E R E D B Y :										P E R C E N T P H Y S I C I A N A T T E N D E D		
	P H Y S I C I A N			M I D W I F E			O T H E R A N D N O T S P E C I F I E D						
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	
Maryland State	73,710	57,434	16,276	218	18	200	209	74	135	99.4	99.8	98.0	
Baltimore City	19,786	9,614	10,172	18	3	15	103	12	91	99.4	99.8	99.0	
Total Counties	53,924	47,820	6,104	200	15	185	106	62	44	99.4	99.8	96.4	
Allegany	1,505	1,481	24	-	-	-	2	2	-	99.9	99.9	100.0	
Anne Arundel	5,177	4,336	841	1	1	-	19	10	9	99.6	99.7	98.9	
Baltimore	10,030	9,616	414	-	-	-	14	11	3	99.9	99.9	99.3	
Calvert	465	187	278	-	-	-	1	1	-	99.8	99.5	100.0	
Caroline	371	254	117	-	-	-	-	-	-	100.0	100.0	100.0	
Carroll	1,114	1,056	58	-	-	-	6	3	3	99.5	99.7	95.1	
Cecil	1,238	1,155	83	-	-	-	1	1	-	99.9	99.9	100.0	
Charles	922	531	391	73	4	69	9	1	8	91.8	99.1	83.5	
Dorchester	473	301	172	33	-	33	2	-	2	93.1	100.0	83.1	
Frederick	1,602	1,424	178	-	-	-	-	-	-	100.0	100.0	100.0	
Garrett	429	428	1	-	-	-	2	2	-	99.5	99.5	100.0	
Harford	2,202	1,957	245	-	-	-	-	-	-	100.0	100.0	100.0	
Howard	978	853	125	-	-	-	2	1	1	99.8	99.9	99.2	
Kent	290	202	88	-	-	-	-	-	-	100.0	100.0	100.0	
Montgomery	7,960	7,494	466	-	-	-	13	10	3	99.8	99.9	99.4	
Prince Georges	13,607	12,316	1,291	-	-	-	20	11	9	99.9	99.9	99.3	
Queen Annes	291	197	94	-	-	-	3	1	2	99.0	99.5	97.9	
Saint Marys	1,291	960	331	14	9	5	2	2	-	98.8	98.9	98.5	
Somerset	310	157	153	32	-	32	-	-	-	90.6	100.0	82.7	
Talbot	428	267	161	-	-	-	1	-	1	99.8	100.0	99.4	
Washington	1,810	1,763	47	-	-	-	6	6	-	99.7	99.7	100.0	
Wicomico	979	651	328	-	-	-	1	1	1	99.9	100.0	99.7	
Worcester	452	234	218	47	1	46	2	-	2	90.2	99.6	82.0	





TABLE 24.  
BIRTHS BY PLACE OF RESIDENCE AND OCCURRENCE, RACE, AND POLITICAL SUBDIVISION, 1965

Area	BIRTHS BY AREA OF MOTHER'S RESIDENCE			BIRTHS IN MARYLAND BY AREA OF BIRTH		
	Total	White	Non-white	Total	White	Non-white
Maryland State	74,137	57,526	16,611	66,005	49,607	16,398
Baltimore City	19,907	9,629	10,278	32,608	21,465	11,143
Total Counties	54,230	47,897	6,333	33,397	28,142	5,255
Allegany	1,507	1,483	24	1,895	1,866	29
Anne Arundel	5,197	4,347	850	2,823	2,337	486
Baltimore	10,044	9,627	417	888	841	47
Calvert	466	188	278	469	173	296
Caroline	371	254	117	2	-	2
Carroll	1,120	1,059	61	603	583	20
Cecil	1,239	1,156	83	1,088	1,010	78
Charles	1,004	536	468	561	295	266
Dorchester	508	301	207	436	238	198
Frederick	1,602	1,424	178	1,346	1,158	188
Garrett	431	430	1	376	375	1
Harford	2,202	1,957	245	1,962	1,729	233
Howard	980	854	126	4	3	1
Kent	290	202	88	410	294	116
Montgomery	7,973	7,504	469	7,932	7,306	626
Prince Georges	13,627	12,327	1,300	6,513	5,390	1,123
Queen Annes	294	198	96	4	1	3
Saint Marys	1,307	971	336	1,269	945	324
Somerset	342	157	185	161	94	67
Talbot	429	267	162	943	614	329
Washington	1,816	1,769	47	1,808	1,765	43
Wicomico	980	651	329	1,842	1,123	719
Worcester	501	235	266	62	2	60



TABLE 25. BIRTHS TO RESIDENTS OF MARYLAND, AND BIRTHS OCCURRING IN MARYLAND, BY AREA OF RESIDENCE AND AREA OF OCCURRENCE, 1965

AREA OF RESIDENCE	AREA OF OCCURRENCE OF BIRTH					
	All areas of occurrence	State of Maryland			Balto. City	Out of State
		State total	Md. County same as residence	Md. County other than residence		
Maryland State	74,137	63,115	24,802	5,775	32,538	11,022
Baltimore City	19,907	19,839	xxx	473	19,366	68
Total Counties	54,230	43,276	24,802	5,302	13,172	10,954
Allegany	1,507	1,428	1,426	1	1	79
Anne Arundel	5,197	5,046	2,335	280	2,431	151
Baltimore	10,044	9,921	435	171	9,315	123
Calvert	466	452	379	58	15	14
Caroline	371	324	2	321	1	47
Carroll	1,120	890	509	145	236	230
Cecil	1,239	1,121	891	211	19	118
Charles	1,004	717	529	174	14	287
Dorchester	508	498	407	89	2	10
Frederick	1,602	1,299	1,183	104	12	303
Garrett	431	344	294	50	-	87
Harford	2,202	2,172	1,665	88	419	30
Howard	980	916	4	391	521	64
Kent	290	275	260	14	1	15
Montgomery	7,973	4,843	4,642	170	31	3,130
Prince Georges	13,627	7,642	5,450	2,080	112	5,985
Queen Annes	294	286	4	266	16	8
Saint Marys	1,307	1,278	1,235	25	18	29
Somerset	342	340	146	193	1	2
Talbot	429	419	399	19	1	10
Washington	1,816	1,628	1,610	14	4	188
Wicomico	980	950	944	4	2	30
Worcester	501	487	53	434	-	14
Out of State	xxx	2,890	xxx	2,820	70	xxx
All areas of residence	xxx	66,005	24,802	8,595	32,608	xxx



TABLE 26. DEATHS AND DEATH RATES BY RACE AND POLITICAL SUBDIVISION, 1965

Area of Residence	NUMBER OF DEATHS			DEATH RATES*		
	Total	White	Non-white	Total	White	Non-white
Maryland State	30,981	24,958	6,023	8.7	8.4	10.1
Baltimore City	11,643	7,856	3,787	12.7	14.3	10.2
Total Counties	19,338	17,102	2,236	7.3	7.1	9.8
Allegany	1,057	1,044	13	11.9	11.9	11.2
Anne Arundel	1,628	1,342	286	6.4	6.0	8.6
Baltimore	3,883	3,721	162	6.9	6.8	9.3
Calvert	182	117	65	9.9	11.2	8.1
Caroline	285	240	45	13.7	14.5	10.8
Carroll	545	521	24	8.9	8.9	9.1
Cecil	424	387	37	7.6	7.3	11.7
Charles	303	171	132	8.0	6.8	10.2
Dorchester	396	277	119	12.8	12.7	12.9
Frederick	794	722	72	9.4	9.2	12.4
Garrett	203	203	-	9.2	9.2	...
Harford	695	607	88	7.3	7.0	10.3
Howard	302	263	39	6.3	6.1	8.4
Kent	190	139	51	11.9	11.6	12.9
Montgomery	2,576	2,406	170	6.1	5.9	10.4
Prince Georges	2,841	2,511	330	5.4	5.2	7.5
Queen Annes	189	135	54	11.0	10.7	11.7
Saint Marys	299	222	77	6.9	6.5	8.6
Somerset	299	183	116	15.0	15.3	14.5
Talbot	300	229	71	13.0	13.7	11.2
Washington	1,009	969	40	9.8	9.7	12.6
Wicomico	629	481	148	12.0	11.9	12.4
Worcester	309	212	97	12.2	12.7	11.1

\* Death rates are per 1000 population.



TABLE 27. DEATHS BY AGE AND RACE, THREE MARYLAND AREAS, 1965

Area of Residence	Race	All ages*	DEATHS BY AGE					
			Under one year	1 - 4	5-17	18-44	45-64	65 & over
Maryland State	All deaths	30,981	1,837	302	443	2,724	8,759	16,913
	White	24,958	1,260	195	319	1,812	6,696	14,675
	Nonwhite	6,023	577	107	124	912	2,063	2,238
Baltimore City	All deaths	11,643	565	95	109	1,034	3,522	6,316
	White	7,856	239	26	45	421	2,133	4,991
	Nonwhite	3,787	326	69	64	613	1,389	1,325
Total Counties	All deaths	19,338	1,272	207	334	1,690	5,237	10,597
	White	17,102	1,021	169	274	1,391	4,563	9,684
	Nonwhite	2,236	251	38	60	299	674	913

\* Includes three deaths with ages unknown.

TABLE 28. DEATH RATES BY AGE AND RACE, THREE MARYLAND AREAS, 1965

Area of Residence	Race	All ages	DEATH RATES BY AGE (Per 1000 population)					
			Under one year	1 - 4	5-17	18-44	45-64	65 & over
Maryland State	All deaths	8.7	24.5	0.9	0.5	2.1	13.0	65.6
	White	8.4	21.6	0.8	0.4	1.7	11.5	64.5
	Nonwhite	10.1	34.8	1.6	0.7	4.5	21.4	73.6
Baltimore City	All deaths	12.7	27.7	1.2	0.5	3.5	17.5	70.6
	White	14.3	23.9	0.7	0.4	2.5	15.2	69.3
	Nonwhite	10.2	31.3	1.6	0.6	4.8	22.6	75.9
Total Counties	All deaths	7.3	23.3	0.9	0.5	1.7	11.0	62.9
	White	7.1	21.1	0.8	0.4	1.5	10.4	62.3
	Nonwhite	9.8	40.6	1.5	0.9	3.9	19.4	70.5







TABLE 29A. DEATHS FOR TWENTY LEADING CAUSES, BY SEX AND RACE, MARYLAND, 1965

Rank for Total	Causes of death with 7th Revision International List Number	ALL RACES		WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male
	All causes	30,981	17,482	13,499	13,951	11,007	3,531
1.	Diseases of the heart (400-443)	12,670	7,146	5,524	6,050	4,660	1,096
2.	Malignant neoplasms (140-205)	5,292	2,876	2,416	2,318	2,051	558
3.	Cerebral hemorrhage and other vascular lesions (330-334)	2,438	1,122	1,316	880	1,078	242
4.	All accidents (800-962)	1,697	1,224	473	931	355	293
5.	Motor vehicle accidents (810-835)	750	566	184	446	149	120
6.	Certain diseases of early infancy (760-776)	1,182	697	485	485	316	212
7.	Influenza and pneumonia (480-493)	982	599	383	435	294	164
8.	Diabetes mellitus (260)	719	266	453	205	346	61
9.	Cirrhosis of the liver (581)	568	372	196	285	140	87
10.	Arteriosclerosis (450)	474	234	240	197	212	37
	Other diseases of circulatory system (451-468)	464	263	201	218	160	45
11.	Bronchopulmonic diseases (525-527)	430	336	94	276	74	60
12.	Suicide (963, 970-979)	392	277	115	253	110	24
13.	Congenital malformations (750-759)	351	173	178	145	145	28
14.	Homicide (964, 980-985)	257	191	66	55	38	136
15.	Hernia and intestinal obstruction (560, 561, 570)	191	84	107	66	88	18
16.	Tuberculosis, all forms (001-019)	185	143	42	91	23	52
17.	Hypertension without mention of heart (444-447)	181	92	89	55	63	37
18.	Nephritis, all forms (590-594)	180	95	85	60	58	35
19.	Ulcer of stomach and duodenum (540, 541)	141	100	41	87	35	13
20.	Infections of kidney (600)	136	57	79	38	55	19



TABLE 29B. DEATHS FOR TWENTY LEADING CAUSES, BY SEX AND RACE, BALTIMORE CITY, 1965

Rank for Total	Causes of death with 7th Revision International List Number	ALL RACES			WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male	Female
Total	All causes	11,643	6,498	5,145	4,308	3,548	2,190	1,597
1.	Diseases of the heart (400-443)	4,792	2,607	2,185	1,941	1,630	666	555
2.	Malignant neoplasms (140-205)	2,003	1,120	883	750	620	370	263
3.	Cerebral hemorrhage and other vascular lesions (330-334)	866	409	457	263	308	146	149
4.	All accidents (800-962)	469	328	141	180	84	148	57
5.	Motor vehicle accidents (810-835)	163	123	40	67	26	56	14
6.	Influenza and pneumonia (480-493)	399	258	141	157	101	101	40
7.	Certain diseases of early infancy (760-776)	385	244	141	107	48	137	93
8.	Diabetes mellitus (260)	336	108	228	72	145	36	83
9.	Cirrhosis of the liver (581)	286	189	97	120	54	69	43
10.	Other diseases of circulatory system (451-468)	191	97	94	64	68	33	26
11.	Bronchopulmonic diseases (525-527)	184	148	36	105	23	43	13
12.	Arteriosclerosis (450)	161	74	87	60	72	14	15
13.	Homicide (964, 980-985)	137	104	33	14	12	90	21
14.	Tuberculosis, all forms (001-019)	106	82	24	46	9	36	15
15.	Congenital malformations (750-759)	98	44	54	22	29	22	25
16.	Suicide (963, 970-979)	96	64	32	52	28	12	4
17.	Nephritis, all forms (590-594)	76	40	36	20	19	20	17
18.	Hernia and intestinal obstruction (560, 561, 570)	70	32	38	21	28	11	10
19.	Hypertension without mention of heart (444-447)	64	33	31	9	15	24	16
20.	Ulcer of stomach and duodenum (540, 541)	52	34	18	27	14	7	4
21.	Infections of kidney (600)	52	27	25	11	15	16	10



TABLE 29C. DEATHS FOR TWENTY LEADING CAUSES, BY SEX AND RACE, TOTAL COUNTIES, 1965

Rank for total	Causes of death with 7th Revision International List Number	ALL RACES		WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male
Total	All causes	19,338	10,984	8,354	9,643	7,459	1,341
1.	Diseases of the heart (400-443)	7,878	4,539	3,339	4,109	3,030	430
2.	Malignant neoplasm (140-205)	3,289	1,756	1,533	1,568	1,431	188
3.	Cerebral hemorrhage and other vascular lesions (330-334)	1,572	713	859	617	770	96
4.	All accidents (800-962)	1,228	896	332	751	271	145
5.	Motor vehicle accidents (810-835)	587	443	144	379	123	64
	Certain diseases of early infancy (760-776)	797	453	344	378	268	75
6.	Influenza and pneumonia (480-493)	583	341	242	278	193	63
7.	Diabetes mellitus (260)	383	158	225	133	201	25
8.	Arteriosclerosis (450)	313	160	153	137	140	23
9.	Suicide (963, 970-979)	296	213	83	201	82	12
10.	Cirrhosis of the liver (581)	282	183	99	165	86	18
11.	Other diseases of circulatory system (451-468)	273	166	107	154	92	12
12.	Congenital malformations (750-759)	253	129	124	123	116	6
13.	Bronchopulmonic diseases (525-527)	246	188	58	171	51	17
14.	Hernia and intestinal obstruction (560,561,570)	121	52	69	45	60	7
15.	Homicide (964, 980-985)	120	87	33	41	26	46
16.	Hypertension without mention of heart (444-447)	117	59	58	46	48	13
17.	Nephritis, all forms (590-594)	104	55	49	40	39	15
18.	Ulcer of stomach and duodenum (540-541)	89	66	23	60	21	6
19.	Symptoms, senility, and ill-defined conditions (780-795)	85	50	35	39	30	11
20.	Infections of kidney (600)	84	30	54	27	40	3





TABLE 30A. DEATH RATES FOR TWENTY LEADING CAUSES, BY SEX AND RACE, MARYLAND, 1965

		RATES PER 100,000 POPULATION							
Rank for Total	Causes of death with 7th Revision International List Number	ALL RACES			WHITE		NONWHITE		
		Total	Male	Female	Male	Female	Male	Female	
Total	All causes	872.4	996.5	751.2	955.5	736.6	1,199.9	823.4	
1.	Diseases of the heart (400-443)	356.8	407.3	307.4	414.4	311.8	372.4	285.5	
2.	Malignant neoplasms (140-205)	149.0	163.9	134.4	158.8	137.2	189.6	120.6	
3.	Cerebral hemorrhage and other vascular lesions (330-334)	68.6	64.0	73.2	60.3	72.1	82.2	78.6	
4.	All accidents (800-962)	47.8	69.8	26.3	63.8	23.8	99.6	39.0	
	Motor vehicle accidents (810-835)	21.1	32.3	10.2	30.5	10.0	40.8	11.6	
5.	Certain diseases of early infancy (760-776)	33.3	39.7	27.0	35.2	21.1	72.0	55.8	
6.	Influenza and pneumonia (480-493)	27.7	34.1	21.3	29.8	19.7	55.7	29.4	
7.	Diabetes mellitus (260)	20.2	15.2	25.2	14.0	23.2	20.7	35.4	
8.	Cirrhosis of the liver (581)	16.0	21.2	10.9	19.5	9.4	29.6	18.5	
9.	Arteriosclerosis (450)	13.3	13.3	13.4	13.5	14.2	12.6	9.3	
10.	Other diseases of circulatory system (451-468)	13.1	15.0	11.2	14.9	10.7	15.3	13.5	
11.	Bronchopulmonic diseases (525-527)	12.1	19.2	5.2	18.9	5.0	20.4	6.6	
12.	Suicide (963, 970-979)	11.0	15.8	6.4	17.3	7.4	8.2	1.7	
13.	Congenital malformations (750-759)	9.9	9.9	9.9	9.9	9.7	9.5	10.9	
14.	Homicide (964, 980-985)	7.2	10.9	3.7	3.8	2.5	46.2	9.3	
15.	Hernia and intestinal obstruction (560,561,570)	5.4	4.8	6.0	4.5	5.9	6.1	6.3	
16.	Tuberculosis, all forms (001-019)	5.2	8.2	2.3	6.2	1.5	17.7	6.3	
17.	Hypertension without mention of heart (444-447)	5.1	5.2	5.0	3.8	4.2	12.6	8.6	
18.	Nephritis, all forms (590-594)	5.1	5.4	4.7	4.1	3.9	11.9	8.9	
19.	Ulcer of stomach and duodenum (540,541)	4.0	5.7	2.3	6.0	2.3	4.4	2.0	
20.	Infections of kidney (600)	3.8	3.2	4.4	2.6	3.7	6.5	7.9	





TABLE 30B. DEATH RATES FOR TWENTY LEADING CAUSES, BY SEX AND RACE, BALTIMORE CITY, 1965

Rank for Total	Causes of death with 7th Revision International List Number	RATES PER 100,000 POPULATION							
		ALL RACES				WHITE		NONWHITE	
		Total	Male	Female		Male	Female	Male	Female
	All causes	1,268.6	1,468.9	1,082.3		1,633.0	1,248.1	1,226.5	835.6
1.	Diseases of the heart (400-443)	522.1	589.3	459.6		735.8	573.4	373.0	290.4
2.	Malignant neoplasms (140-205)	218.3	253.2	185.7		284.3	218.1	207.2	137.6
3.	Cerebral hemorrhage and other vascular lesions (330-334)	94.4	92.5	96.1		99.7	108.3	81.8	78.0
4.	All accidents (800-962)	51.1	74.1	29.7		68.2	29.5	82.9	29.8
5.	Motor vehicle accidents (810-835)	17.8	27.8	8.4		25.4	9.1	31.4	7.3
6.	Influenza and pneumonia (480-493)	43.5	58.3	29.7		59.5	35.5	56.6	20.9
7.	Certain diseases of early infancy (760-776)	42.0	55.2	29.7		40.6	16.9	76.7	48.7
8.	Diabetes mellitus (260)	36.6	24.4	48.0		27.3	51.0	20.2	43.4
9.	Cirrhosis of the liver (581)	31.2	42.7	20.4		45.5	19.0	38.6	22.5
10.	Other diseases of circulatory system (451-468)	20.8	21.9	19.8		24.3	23.9	18.5	13.6
	Bronchopulmonic diseases (525-527)	20.0	33.5	7.6		39.8	8.1	24.1	6.8
11.	Arteriosclerosis (450)	17.5	16.7	18.3		22.7	25.3	7.8	7.8
12.	Homicide (964, 980-985)	14.9	23.5	6.9		5.3	4.2	50.4	11.0
13.	Tuberculosis, all forms (001-019)	11.5	18.5	5.0		17.4	3.2	20.2	7.8
14.	Congenital malformations (750-759)	10.7	9.9	11.4		8.3	10.2	12.3	13.1
15.	Suicide (963, 970-979)	10.5	14.5	6.7		19.7	9.8	6.7	2.1
16.	Nephritis, all forms (590-594)	8.3	9.0	7.6		7.6	6.7	11.2	8.9
17.	Hernia and intestinal obstruction (560, 561, 570)	7.6	7.2	8.0		8.0	9.8	6.2	5.2
18.	Hypertension without mention of heart (444-447)	7.0	7.5	6.5		3.4	5.3	13.4	8.4
19.	Ulcer of stomach and duodenum (540, 541)	5.7	7.7	3.8		10.2	4.9	3.9	2.1
20.	Infections of kidney (600)	5.7	6.1	5.3		4.2	5.3	9.0	5.2



TABLE 30C. DEATH RATES FOR TWENTY LEADING CAUSES, BY SEX AND RACE, TOTAL COUNTIES, 1965

Rank for Total	Causes of death with 7th Revision International List Number	RATES PER 100,000 POPULATION							
		ALL RACES				WHITE		NONWHITE	
		Total	Male	Female		Male	Female	Male	Female
	All causes	734.3	837.2	632.1		806.1	616.4	1,158.7	802.5
1.	Diseases of the heart (400-443)	299.1	346.0	252.6		343.5	250.4	371.6	277.1
2.	Malignant neoplasms (140-205)	124.9	133.8	116.0		131.1	118.3	162.4	91.5
3.	Cerebral hemorrhage and other vascular lesions (330-334)	59.7	54.3	65.0		51.6	63.6	83.0	79.8
4.	All accidents (800-962)	46.6	68.3	25.1		62.8	22.4	125.3	54.7
	Motor vehicle accidents (810-835)	22.3	33.8	10.9		31.7	10.2	55.3	18.8
5.	Certain diseases of early infancy (760-776)	30.3	34.5	26.0		31.6	22.1	64.8	68.1
6.	Influenza and pneumonia (480-493)	22.1	26.0	18.3		23.2	15.9	54.4	43.9
7.	Diabetes mellitus (260)	14.5	12.0	17.0		11.1	16.6	21.6	21.5
8.	Arteriosclerosis (450)	11.9	12.2	11.6		11.5	11.6	19.9	11.7
9.	Suicide (963, 970-979)	11.2	16.2	6.3		16.8	6.8	10.4	0.9
10.	Cirrhosis of the liver (581)	10.7	13.9	7.5		13.8	7.1	15.6	11.7
11.	Other diseases of circulatory system (451-468)	10.4	12.7	8.1		12.9	7.6	10.4	13.5
12.	Congenital malformations (750-759)	9.6	9.8	9.4		10.3	9.6	5.2	7.2
13.	Bronchopulmonic diseases (525-527)	9.3	14.3	4.4		14.3	4.2	14.7	6.3
14.	Hernia and intestinal obstruction (560, 561, 570)	4.6	4.0	5.2		3.8	5.0	6.0	8.1
15.	Homicide (964, 980-985)	4.6	6.6	2.5		3.4	2.1	39.7	6.3
16.	Hypertension without mention of heart (444-447)	4.4	4.5	4.4		3.8	4.0	11.2	9.0
17.	Nephritis, all forms (590-594)	3.9	4.2	3.7		3.3	3.2	13.0	9.0
18.	Ulcer of stomach and duodenum (540-541)	3.4	5.0	1.7		5.0	1.7	5.2	1.8
19.	Symptoms, senility and ill-defined conditions (780-795)	3.2	3.8	2.6		3.2	2.5	9.5	4.5
20.	Infections of kidney (600)	3.2	2.3	4.1		2.3	3.3	2.6	12.6



TABLE 31. THE EIGHT LEADING CAUSES OF MALE DEATHS, IN SPECIFIED AGE GROUPS,\* MARYLAND, 1965

UNDER ONE YEAR				AGES 1 - 4			
Rank		Number	Per cent	Rank		Number	Per cent
	All causes	1,062	100.0		All causes	157	100.0
1.	Certain diseases of early infancy	697	65.6	1.	Accidents	53	33.8
2.	Congenital malformations	129	12.1	2.	Malignant neoplasms	16	10.2
3.	Influenza and pneumonia**	71	6.7	3.	Influenza and pneumonia	13	8.3
4.	Bronchopulmonic diseases**	41	3.9	4.	Congenital malformations	11	7.0
5.	Accidents	39	3.7	5.	Meningitis, exc. meningococcal and tuberculosis	5	3.2
6.	Gastro-enteritis	16	1.5				
7.	Meningitis, exc. meningococcal and tuberculosis	9	0.8				
8.	Hernia and intestinal obstruction	5	0.5				
AGES 5 - 17				AGES 18 - 44			
	All causes	283	100.0		All causes	1,712	100.0
1.	Accidents	156	55.1	1.	Accidents	494	28.9
2.	Malignant neoplasms	40	14.1	2.	Diseases of the heart	344	20.1
3.	Homicide	13	4.6	3.	Malignant neoplasms	176	10.3
4.	Suicide	9	3.2	4.	Homicide	118	6.9
5.	Influenza and pneumonia	9	3.2	5.	Suicide	116	6.8
6.	Congenital malformations	7	2.5	6.	Cirrhosis of the liver	77	4.5
7.	Diseases of the heart	5	1.8	7.	Cerebral hemorrhage, etc.	62	3.6
				8.	Influenza and pneumonia	55	3.2
AGES 45 - 64				AGES 65 & OVER			
	All causes	5,744	100.0		All causes	8,523	100.0
1.	Diseases of the heart	2,579	44.9	1.	Diseases of the heart	4,213	49.4
2.	Malignant neoplasms	1,193	20.8	2.	Malignant neoplasms	1,450	17.0
3.	Cerebral hemorrhage, etc.	282	4.9	3.	Cerebral hemorrhage, etc.	772	9.1
4.	Accidents	282	4.9	4.	Influenza and pneumonia	293	3.4
5.	Cirrhosis of the liver	226	3.9	5.	Arteriosclerosis	212	2.5
6.	Influenza and pneumonia	158	2.8	6.	Accidents	200	2.3
7.	Suicide	103	1.8	7.	Bronchopulmonic diseases	177	2.1
8.	Bronchopulmonic diseases	102	1.8	8.	Other diseases of circulatory sys.	171	2.0

\* Leading causes are shown only if they had five or more deaths in a given age group.

\*\* Excludes pneumonia of the newborn, which is included in "Certain Diseases of Early Infancy."





TABLE 32. THE EIGHT LEADING CAUSES OF FEMALE DEATHS, IN SPECIFIED AGE GROUPS,\* MARYLAND, 1965

UNDER ONE YEAR				AGES 1 - 4			
Rank		Number	Per cent	Rank		Number	Per cent
	All causes	775	100.0		All causes	145	100.0
1.	Certain diseases of early infancy	485	62.6	1.	Accidents	41	28.3
2.	Congenital malformations	122	15.7	2.	Congenital malformations	22	15.2
3.	Influenza and pneumonia**	49	6.3	3.	Malignant neoplasms	14	9.7
4.	Bronchopulmonic diseases**	25	3.2	4.	Influenza and pneumonia	14	9.7
5.	Accidents	23	3.0	5.	Homicide	5	3.4
6.	Gastro-enteritis	10	1.3				
7.	Meningitis, exc. meningococcal and tuberculosiis	9	1.2				
8.	Hernia and intestinal obstruction	8	1.0				
AGES 5 - 17				AGES 18 - 44			
	All causes	160	100.0		All causes	1,012	100.0
1.	Accidents	54	33.8	1.	Malignant neoplasms	251	24.8
2.	Malignant neoplasms	20	12.5	2.	Diseases of the heart	141	13.9
3.	Influenza and pneumonia	14	8.8	3.	Accidents	125	12.4
4.	Congenital malformations	13	8.1	4.	Cirrhosis of the liver	68	6.7
5.	Diseases of the heart	8	5.0	5.	Cerebral hemorrhage, etc.	56	5.5
6.	Homicide	6	3.8	6.	Suicide	47	4.6
				7.	Homicide	33	3.3
				8.	Influenza and pneumonia	24	2.4
AGES 45 - 64				AGES 65 & OVER			
	All causes	3,015	100.0		All causes	8,390	100.0
1.	Diseases of the heart	1,008	33.4	1.	Diseases of the heart	4,361	52.0
2.	Malignant neoplasms	924	30.6	2.	Malignant neoplasms	1,206	14.4
3.	Cerebral hemorrhage, etc.	231	7.7	3.	Cerebral hemorrhage, etc.	1,027	12.2
4.	Diabetes	115	3.8	4.	Diabetes	317	3.8
5.	Cirrhosis of the liver	98	3.3	5.	Influenza and pneumonia	239	2.9
6.	Accidents	89	3.0	6.	Arteriosclerosis	232	2.8
7.	Suicide	48	1.6	7.	Accidents	141	1.7
8.	Other diseases of circulatory sys.	46	1.5	8.	Other diseases of circulatory sys.	137	1.6

\* Leading causes are shown only if they had five or more deaths in a given age group.

\*\* Excludes pneumonia of the newborn, which is included in "Certain Diseases of Early Infancy."





TABLE 33. DEATHS FROM 60 SELECTED CAUSES, BY AGE, MARYLAND, 1965

Causes of death with 7th Revision International List Number	All ages*	D E A T H S   B Y   A G E					65 & over
		Under one year	1 - 4	5-17	18-44	45-64	
All causes	30,981	1,837	302	443	2,724	8,759	16,913
Tuberculosis, all forms (001-019)	185	-	2	-	26	91	66
Tuberculosis of respiratory system (001-008)	166	-	-	-	24	80	62
Tuberculosis, other forms (010-019)	19	-	2	-	2	11	4
Syphilis and its sequelae (020-029)	40	-	-	1	1	19	19
Dysentery, all forms (045-048)	3	-	1	1	-	1	-
Scarlet fever and streptococcal sore throat (050-051)	2	-	-	-	1	-	1
Diphtheria (055)	-	-	-	-	-	-	-
Whooping cough (056)	-	-	-	-	-	-	-
Meningococcal infections (057)	19	6	10	1	1	1	-
Acute poliomyelitis (080)	-	-	-	-	-	-	-
Measles (085)	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	5,292	2	30	60	427	2,117	2,656
Malignant neoplasms of buccal cavity and pharynx (140-148)	134	-	-	1	9	68	56
Malignant neoplasms of digestive organs and peritoneum, not specified as secondary (150-156A, 157-159)	1,622	-	3	2	61	583	973
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	1,057	1	1	2	62	543	448
Malignant neoplasm of breast (170)	526	-	-	-	72	230	224
Malignant neoplasm of genital organs (171-179)	656	-	2	3	65	229	357



TABLE 33. (CONTINUED - 2)

Causes of death with 7 <sup>th</sup> Revision International List Number	D E A T H S					B Y		A G E	65 & over
	All ages*	Under one year	1 - 4	5-17	18-44	45-64			
Malignant neoplasm of urinary organs (180,181)	234	-	2	2	5	74	151		
Malignant neoplasm of other and unspecified sites (156B,165,190-199)	618	1	11	18	72	251	265		
Leukemia and aleukemia (204)	189	-	10	19	31	52	77		
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	256	-	1	13	50	87	105		
Benign neoplasms and neoplasms of unspecified nature (210-239)	121	2	3	6	14	52	44		
Asthma (241)	67	-	1	2	8	34	22		
Diabetes mellitus (260)	719	-	-	2	38	193	486		
Anemias (290-293)	60	1	2	2	15	11	29		
Meningitis, except meningococcal and tuberculous (340)	50	18	9	-	5	11	7		
Major cardiovascular-renal diseases (330-334, 400-468, 592-594)	16,395	14	8	22	690	4,362	11,296		
Diseases of cardiovascular system (330-334, 400-468)	16,227	11	7	17	661	4,299	11,229		
Vascular lesions affecting central nervous system (330-334)	2,438	3	2	2	118	513	1,799		
Diseases of heart (400-402, 410-443)	12,670	7	3	13	485	3,587	8,574		
Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	279	-	1	8	64	138	68		
Arteriosclerotic heart disease, including coronary disease (420)	7,711	-	-	-	250	2,307	5,153		
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	2,707	2	-	4	79	567	2,055		
Other diseases of heart (430-434)	462	5	2	1	29	145	280		
Hypertensive heart diseases (440-443)	1,511	-	-	-	63	430	1,018		



TABLE 33. (CONTINUED - 3)

Causes of death with 7 <sup>th</sup> Revision International List Number	All ages*	D E A T H S			B Y		A G E	
		Under one year	1 - 4	5-17	18-44	45-64	65 & over	
Other hypertensive disease (444-447)	181	-	-	-	27	50	104	
General arteriosclerosis (450)	474	-	-	-	-	30	444	
Other diseases of circulatory system (451-468)	464	1	2	2	31	119	308	
Chronic and unspecified nephritis and other renal sclerosis (592-594)	168	3	1	5	29	63	67	
Influenza and pneumonia, except pneumonia of newborn (480-493)	982	120	27	23	79	201	532	
Influenza (480-483)	16	1	-	-	1	3	11	
Pneumonia, except pneumonia of newborn (490-493)	966	119	27	23	78	198	521	
Bronchitis (500-502)	111	3	3	4	6	39	56	
Bronchopulmonic diseases (525-527)	430	66	8	-	22	120	214	
Ulcer of stomach and duodenum (540,541)	141	-	1	1	10	57	72	
Appendicitis (550-553)	27	-	2	4	1	6	14	
Hernia and intestinal obstruction (560,561,570)	191	13	4	1	8	44	121	
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	121	26	4	-	12	16	63	
Cirrhosis of liver (581)	568	1	-	-	145	324	98	
Cholelithiasis, cholecystitis, and cholangitis (584,585)	46	-	-	-	2	16	28	
Acute nephritis, and nephritis with edema including nephrosis (590,591)	12	-	1	-	3	5	3	
Infections of kidney (600)	136	-	1	2	16	30	87	
Hyperplasia of prostate (610)	46	-	-	-	-	4	42	



TABLE 33. (CONTINUED - 4)

Causes of death with 7th Revision International List Number	All ages*	D E A T H S   B Y   A G E					65 & over
		Under one year	1 - 4	5-17	18-44	45-64	
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	31	-	-	3	27	1	-
Abortion (650-652)	7	-	-	1	6	-	-
Other complications of pregnancy, childbirth and the puerperium (640-649, 660-689)	24	-	-	2	21	1	-
Congenital malformations (750-759)	351	251	33	20	30	13	4
Certain diseases of early infancy (760-776)	1,182	1,182	-	-	-	-	-
Birth injuries, postnatal asphyxia, and atelectasis (760-762)	444	444	-	-	-	-	-
Infections of newborn (763-768)	102	102	-	-	-	-	-
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	636	636	-	-	-	-	-
Symptoms, senility, and ill-defined conditions (780-795)	113	3	3	2	18	28	59
Accidents (E800-E962)	1,697	62	94	210	619	371	341
Motor vehicle accidents (E810-E835)	750	6	25	112	405	141	61
Other accidents (E800-E802, E840-E962)	947	56	69	98	214	230	280
Suicide (E963, E970-E979)	392	-	-	13	163	151	65
Homicide (E964, E980-E985)	257	6	8	19	151	58	15
All other diseases	1,194	61	47	44	186	383	473

\* Includes three deaths with ages unknown.





TABLE 34. DEATHS FOR SELECTED CAUSES, BY POLITICAL SUBDIVISION, 1965

Area of Residence	All causes of death	Diseases of the heart	Malignant neoplasms	Cerebral hemorrhage and other vascular lesions	Accidents		Certain diseases of early infancy	Influenza and pneumonia	Diabetes mellitus
					All accds	Motor veh.			
Maryland State	30,981	12,670	5,292	2,438	1,697	750	1,183	982	719
Baltimore City	11,643	4,792	2,003	866	469	163	385	399	336
Total Counties	19,338	7,878	3,289	1,572	1,228	587	798	583	383
Allegany	1,057	556	174	75	51	19	18	18	23
Anne Arundel	1,628	601	288	121	102	55	82	48	46
Baltimore	3,883	1,682	762	272	188	97	128	97	91
Calvert	182	57	38	14	21	5	12	3	3
Caroline	285	109	40	34	16	11	10	9	6
Carroll	545	238	92	47	28	13	11	25	10
Cecil	424	185	61	27	24	14	15	15	10
Charles	303	93	37	19	28	12	23	17	9
Dorchester	396	174	66	36	24	13	13	17	9
Frederick	794	370	108	71	44	25	26	14	17
Garrett	203	89	29	27	16	8	6	2	5
Harford	695	302	99	35	50	28	36	20	17
Howard	302	113	51	23	26	14	13	15	3
Kent	98	98	25	12	9	1	6	6	3
Montgomery	2,576	965	493	240	168	80	107	69	27
Prince Georges	2,841	1,016	483	173	241	110	199	97	42
Queen Annes	189	89	27	20	4	3	5	6	1
Saint Marys	299	108	39	12	33	19	19	14	9
Somerset	299	117	40	43	14	5	7	9	9
Talbot	300	109	39	44	13	1	10	10	13
Washington	1,009	419	174	94	67	22	28	40	15
Wicomico	629	250	92	88	40	22	17	22	12
Worcester	309	138	32	45	21	10	7	10	3



TABLE 34. (CONTINUED)

Area of Residence	Arterio-sclerosis	Con-genital malforma-tions	Cirrhosis of the liver	Tubercu-losis, all forms	Syphilis, all forms	Alcohol-ism	Nephritis, all forms	Mater-nal deaths	Sui-cide	Homi-cide
Maryland State	474	351	568	185	40	59	180	31	392	257
Baltimore City	161	98	286	106	22	25	76	12	96	137
Total Counties	313	253	282	79	18	34	104	19	296	120
Allegany	17	9	7	5	1	-	6	1	6	2
Anne Arundel	34	17	32	8	2	1	11	1	29	15
Baltimore	50	50	51	9	4	2	11	3	56	13
Calvert	5	-	1	-	1	-	-	1	3	3
Caroline	10	2	1	2	-	-	3	-	1	2
Carroll	9	6	5	3	1	1	6	-	3	2
Cecil	8	8	4	-	-	2	5	-	10	4
Charles	7	4	4	2	-	1	-	-	4	9
Dorchester	5	1	3	3	1	1	2	-	4	2
Frederick	17	14	10	4	-	2	6	-	6	3
Garrett	5	2	1	-	-	1	1	-	4	-
Harford	11	12	10	1	-	1	3	1	20	8
Howard	5	8	3	1	-	-	1	-	4	2
Kent	3	1	2	2	-	-	1	-	3	-
Montgomery	47	37	49	5	1	2	11	4	51	8
Prince Georges	40	57	63	13	4	13	14	7	64	26
Queen Annes	2	-	4	-	-	-	-	-	1	4
Saint Marys	3	6	7	1	-	1	2	-	2	3
Somerset	8	-	1	3	1	-	4	-	-	1
Talbot	8	4	1	2	-	2	3	-	-	1
Washington	13	9	14	8	1	-	3	-	11	1
Wicomico	5	6	6	3	1	4	6	-	11	5
Worcester	1	-	3	-	-	-	5	1	3	6



TABLE 35. DEATHS BY MONTH OF DEATH AND RACE, THREE MARYLAND AREAS, 1965

Area of Residence	Race	All months	M O N T H O F D E A T H											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All deaths	30,981	2805	2522	2749	2568	2548	2534	2487	2433	2373	2571	2553	2838
	White	24,958	2268	2037	2242	2079	2063	2025	1957	1936	1910	2083	2076	2282
	Nonwhite	6,023	537	485	507	489	485	509	530	497	463	488	477	556
Baltimore City	All deaths	11,643	1095	922	1034	978	964	965	918	895	893	974	922	1083
	White	7,856	760	640	712	666	664	637	591	599	591	663	608	725
	Nonwhite	3,787	335	282	322	312	300	328	327	296	302	311	314	358
Total Counties	All deaths	19,338	1710	1600	1715	1590	1584	1569	1569	1538	1480	1597	1631	1755
	White	17,102	1508	1397	1530	1413	1399	1388	1366	1337	1319	1420	1468	1557
	Nonwhite	2,236	202	203	185	177	185	181	203	201	161	177	163	198





TABLE 36. DEATHS BY HOSPITALIZATION, RACE, AND POLITICAL SUBDIVISION, 1965

Area of Residence	NUMBER OF HOSPITAL DEATHS*			PER CENT OF ALL DEATHS OCCURRING IN HOSPITALS			LOCATION OF HOSPITAL			
	Total	White	Non-white	Total	White	Non-white	County same as Residence	Other County	Other States	Balto. City
Maryland State	22,058	17,538	4,520	71.2	70.3	75.0	6,150	3,080	2,017	10,811
Baltimore City	9,106	6,006	3,100	78.2	76.5	81.9	...	1,190	120	7,796
Total Counties	12,952	11,532	1,420	67.0	67.4	63.5	6,150	1,890	1,897	3,015
Allegany	733	725	8	69.3	69.4	61.5	576	82	63	12
Anne Arundel	1,131	934	197	69.5	69.6	68.9	508	124	52	447
Baltimore	2,662	2,551	111	68.6	68.6	68.5	454	105	67	2,036
Calvert	126	88	38	69.2	75.2	58.5	89	12	10	15
Caroline	170	143	27	59.6	59.6	60.0	5	138	22	5
Carroll	306	289	17	56.1	55.5	70.8	161	48	38	59
Cecil	272	247	25	64.2	63.8	67.6	164	45	45	18
Charles	211	122	89	69.6	71.3	67.4	109	35	53	14
Dorchester	267	189	78	67.4	68.2	65.5	196	56	6	9
Frederick	492	453	39	62.0	62.7	54.2	304	90	69	29
Garrett	108	108	-	53.2	53.2	-	66	16	20	6
Harford	421	372	49	60.6	61.3	55.7	240	48	18	115
Howard	188	169	19	62.3	64.3	48.7	9	64	6	109
Kent	108	81	27	56.8	58.3	52.9	61	33	7	7
Montgomery	1,829	1,706	123	71.0	70.9	72.4	1,118	132	561	18
Prince Georges	1,961	1,750	211	69.0	69.7	63.9	844	373	715	29
Queen Annes	106	75	31	56.1	55.6	57.4	7	87	7	5
Saint Marys	198	147	51	66.2	66.2	66.2	126	32	17	23
Somerset	191	123	68	63.9	67.2	58.6	59	115	5	12
Talbot	198	156	42	66.0	68.1	59.2	135	49	9	5
Washington	665	641	24	65.9	66.2	60.0	553	24	72	16
Wicomico	447	346	101	71.1	71.9	68.2	356	50	23	18
Worcester	162	117	45	52.4	55.2	46.4	10	132	12	8

\* Hospitals include other institutions, such as Nursing Homes.



TABLE 37.  
DEATHS BY PLACE OF RESIDENCE AND OCCURRENCE, RACE, AND POLITICAL SUBDIVISION, 1965

Area	DEATHS BY AREA OF RESIDENCE			DEATHS IN MARYLAND BY AREA OF DEATH		
	Total	White	Non-white	Total	White	Non-white
Maryland State	30,981	24,958	6,023	30,696	24,600	6,096
Baltimore City	11,643	7,856	3,787	13,593	9,868	3,725
Total Counties	19,338	17,102	2,236	17,103	14,732	2,371
Allegany	1,057	1,044	13	979	968	11
Anne Arundel	1,628	1,342	286	1,257	965	292
Baltimore	3,883	3,721	162	2,718	2,450	268
Calvert	182	117	65	186	131	55
Caroline	285	240	45	109	92	17
Carroll	545	521	24	836	773	63
Cecil	424	387	37	482	407	75
Charles	303	171	132	231	132	99
Dorchester	396	277	119	482	349	133
Frederick	794	722	72	684	620	64
Garrett	203	203	-	222	222	-
Harford	695	607	88	582	504	78
Howard	302	263	39	154	131	23
Kent	190	139	51	168	126	42
Montgomery	2,576	2,406	170	2,844	2,647	197
Prince Georges	2,841	2,511	330	2,011	1,654	357
Queen Annes	189	135	54	100	70	30
Saint Marys	299	222	77	230	173	57
Somerset	299	183	116	171	111	60
Talbot	300	229	71	421	329	92
Washington	1,009	969	40	1,160	1,104	56
Wicomico	629	481	148	902	652	250
Worcester	309	212	97	174	122	52



TABLE 38. DEATHS TO RESIDENTS OF MARYLAND, AND DEATHS OCCURRING IN MARYLAND, BY AREA OF RESIDENCE AND AREA OF OCCURRENCE, 1965

AREA OF RESIDENCE	AREA OF OCCURRENCE OF DEATH					
	All areas of occurrence	State of Maryland			Balto. City	Out of State
		State total	Md. County same as residence	Md. County other than residence		
Maryland State	30,981	28,590	11,868	3,464	13,258	2,391
Baltimore City	11,643	11,457	xxx	1,311	10,146	186
Total Counties	19,338	17,133	11,868	2,153	3,112	2,205
Allegany	1,057	980	872	93	15	77
Anne Arundel	1,628	1,560	945	152	463	68
Baltimore	3,883	3,771	1,543	126	2,102	112
Calvert	182	171	141	15	15	11
Caroline	285	257	99	153	5	28
Carroll	545	502	386	54	62	43
Cecil	424	364	291	55	18	60
Charles	303	246	193	39	14	57
Dorchester	396	387	317	61	9	9
Frederick	794	718	588	101	29	76
Garrett	203	175	149	20	6	28
Harford	695	671	500	54	117	24
Howard	302	296	104	77	115	6
Kent	190	178	135	36	7	12
Montgomery	2,576	1,951	1,778	155	18	625
Prince Georges	2,841	2,055	1,581	445	29	786
Queen Annes	189	180	82	93	5	9
Saint Marys	299	273	215	34	24	26
Somerset	299	292	163	117	12	7
Talbot	300	289	231	53	5	11
Washington	1,009	925	881	28	16	84
Wicomico	629	599	527	54	18	30
Worcester	309	293	147	138	8	16
Out of State	xxx	2,106	xxx	1,771	335	xxx
All areas of residence	xxx	30,196	11,868	5,235	13,593	xxx





TABLE 39.  
FETAL DEATHS AND FETAL DEATH RATES BY RACE AND POLITICAL SUBDIVISION, 1965

Area of Residence	NUMBER OF FETAL DEATHS			FETAL DEATH RATES*		
	Total	White	Non-white	Total	White	Non-white
Maryland State	1,110	716	394	14.8	12.3	23.2
Baltimore City	382	140	242	18.8	14.3	23.0
Total Counties	728	576	152	13.2	11.9	23.4
Allegany	22	21	1	14.4	14.0	40.0
Anne Arundel	71	53	18	13.5	12.0	20.7
Baltimore	103	100	3	10.2	10.3	7.1
Calvert	20	10	10	41.2	50.5	34.7
Caroline	5	1	4	13.3	3.9	33.1
Carroll	14	14	-	12.3	13.0	-
Cecil	15	14	1	12.0	12.0	11.9
Charles	19	8	11	18.6	14.7	23.0
Dorchester	6	2	4	11.7	6.6	19.0
Frederick	20	19	1	12.3	13.2	5.6
Garrett	6	6	-	13.7	13.8	-
Harford	40	35	5	17.8	17.6	20.0
Howard	8	7	1	8.1	8.1	7.9
Kent	5	2	3	16.9	9.8	33.0
Montgomery	105	95	10	13.0	12.5	20.9
Prince Georges	171	131	40	12.4	10.5	29.9
Queen Anne's	9	5	4	29.7	24.6	40.0
Saint Marys	17	11	6	12.8	11.2	17.5
Somerset	9	2	7	25.6	12.6	36.5
Talbot	10	5	5	22.8	18.4	29.9
Washington	23	21	2	12.5	11.7	40.8
Wicomico	22	13	9	22.0	19.6	26.6
Worcester	8	1	7	15.7	4.2	25.6

\* Fetal death rates are per 1000 total births.





TABLE 40.  
INFANT DEATHS AND INFANT DEATH RATES BY RACE AND POLITICAL SUBDIVISION, 1965

Area of Residence	NUMBER OF INFANT DEATHS			INFANT DEATH RATES*		
	Total	White	Non-white	Total	White	Non-white
Maryland State	1,837	1,260	577	24.8	21.9	34.7
Baltimore City	565	239	326	28.4	24.8	31.7
Total Counties	1,272	1,021	251	23.5	21.3	39.6
Allegany	32	32	-	21.2	21.6	-
Anne Arundel	122	94	28	23.5	21.6	32.9
Baltimore	200	187	13	19.9	19.4	31.2
Calvert	23	6	17	49.4	31.9	61.2
Caroline	13	9	4	35.0	35.4	34.2
Carroll	18	15	3	16.1	14.2	49.2
Cecil	34	32	2	27.4	27.7	24.1
Charles	39	12	27	38.8	22.4	57.7
Dorchester	20	9	11	39.4	29.9	53.1
Frederick	38	33	5	23.7	23.2	28.1
Garrett	9	9	-	20.9	20.9	-
Harford	56	51	5	25.4	26.1	20.4
Howard	24	21	3	24.5	24.6	23.8
Kent	9	5	4	31.0	24.8	45.5
Montgomery	177	152	25	22.2	20.3	53.3
Prince Georges	300	254	46	22.0	20.6	35.4
Queen Annes	6	3	3	20.4	15.2	31.3
Saint Marys	38	22	16	29.1	22.7	47.6
Somerset	12	3	9	35.1	19.1	48.6
Talbot	16	9	7	37.3	33.7	43.2
Washington	49	45	4	27.0	25.4	85.1
Wicomico	27	16	11	27.6	24.6	33.4
Worcester	10	2	8	20.0	8.5	30.1

\* Infant death rates are per 1000 live births.



TABLE 41.

NEONATAL DEATHS, NEONATAL DEATH RATES, AND PERINATAL DEATH RATES BY RACE AND POLITICAL SUBDIVISION, 1965

Area of Residence	NUMBER OF NEONATAL DEATHS			NEONATAL DEATH RATES*			PERINATAL DEATH RATES*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Maryland State	1,368	968	400	18.5	16.8	24.1	32.9	28.9	46.7
Baltimore City	425	178	247	21.3	18.5	24.0	39.8	32.6	46.5
Total Counties	943	790	153	17.4	16.5	24.2	30.4	28.2	47.0
Allegany	27	27	-	17.9	18.2	-	32.0	31.9	40.0
Anne Arundel	92	73	19	17.7	16.8	22.4	30.9	28.6	42.6
Baltimore	159	147	12	15.8	15.3	28.8	25.8	25.4	35.7
Calvert	10	5	5	21.5	26.6	18.0	61.7	75.8	52.1
Caroline	11	7	4	29.6	27.6	34.2	42.6	31.4	66.1
Carroll	12	10	2	10.7	9.4	32.8	22.9	22.4	32.8
Cecil	21	20	1	16.9	17.3	12.0	28.7	29.1	23.8
Charles	26	10	16	25.9	18.7	34.2	44.0	33.1	56.4
Dorchester	13	5	8	25.6	16.6	38.6	37.0	23.1	56.9
Frederick	31	28	3	19.4	19.7	16.9	31.4	32.6	22.3
Garrett	9	9	-	20.9	20.9	-	34.3	34.4	-
Harford	43	41	2	19.5	21.0	8.2	37.0	38.2	28.0
Howard	18	17	1	18.4	19.9	7.9	26.3	27.9	15.7
Kent	6	4	2	20.7	19.8	22.7	37.3	29.4	54.9
Montgomery	123	108	15	15.4	14.4	32.0	28.2	26.7	52.2
Prince Georges	236	202	34	17.3	16.4	26.2	29.5	26.7	55.2
Queen Annes	5	3	2	17.0	15.2	20.8	46.2	39.4	60.0
Saint Marys	23	16	7	17.6	16.5	20.8	30.2	27.5	38.0
Somerset	7	2	5	20.5	12.7	27.0	45.6	25.2	62.5
Talbot	11	7	4	25.6	26.2	24.7	47.8	44.1	53.9
Washington	35	34	1	19.3	19.2	21.3	31.5	30.7	61.2
Wicomico	19	13	6	19.4	20.0	18.2	40.9	39.2	44.4
Worcester	6	2	4	12.0	8.5	15.0	27.5	12.7	40.3

\* Neonatal death rates are per 1000 live births; perinatal death rates are per 1000 total births.



TABLE 42. MARRIAGES BY RESIDENT STATUS AND TYPE OF CEREMONY,  
BY POLITICAL SUBDIVISION OF OCCURRENCE, 1965

Area of Occurrence	MARRIAGES BY RESIDENCE*				TYPE OF CEREMONY		
	Total	Maryland Residents	Non-residents**		Religious	Civil	
			Number	Per- cent		Number	Per- cent
Maryland State	47,345	29,383	17,962	37.9	36,633	10,712	22.6
Baltimore City	10,173	9,257	916	9.0	8,490	1,683	16.5
Total Counties	37,172	20,126	17,046	45.9	28,143	9,029	24.3
Allegany	2,615	820	1,795	68.6	2,119	496	19.0
Anne Arundel	2,004	1,774	230	11.5	1,730	274	13.7
Baltimore	3,963	3,497	466	11.8	3,552	411	10.4
Calvert	146	132	14	9.6	126	20	13.7
Caroline	472	222	250	53.0	436	36	7.6
Carroll	696	495	201	28.9	572	124	17.8
Cecil	8,102	907	7,195	88.8	4,602	3,500	43.2
Charles	480	337	143	29.8	348	132	27.5
Dorchester	286	269	17	5.9	279	7	2.4
Frederick	1,013	757	256	25.3	855	158	15.6
Garrett	1,878	277	1,601	85.3	1,281	597	31.8
Harford	1,327	761	566	42.7	897	430	32.4
Howard	754	698	56	7.4	580	174	23.1
Kent	211	151	60	28.4	184	27	12.8
Montgomery	4,090	2,870	1,220	29.8	3,223	867	21.2
Prince Georges	4,161	3,415	746	17.9	3,296	865	20.8
Queen Annes	149	129	20	13.4	134	15	10.1
Saint Marys	399	367	32	8.0	308	91	22.8
Somerset	235	181	54	23.0	223	12	5.1
Talbot	246	222	24	9.8	219	27	11.0
Washington	2,702	1,038	1,664	61.6	2,038	664	24.6
Wicomico	727	507	220	30.3	665	62	8.5
Worcester	516	300	216	41.9	476	40	7.8

\* Marriages refer to the number of ceremonies performed in Maryland Areas—not the number of persons married.

\*\* Both partners were non-residents of Maryland.





TABLE 43. MARRIAGES BY AGE OF ALL BRIDES AND PREVIOUS MARITAL STATUS AND RACE, MARYLAND, 1965

Age of Bride	All Marriages	PREVIOUS MARITAL STATUS		
		Never Married	Widowed	Divorced
<u>Total Marriages</u>	47,345	36,712	2,644	7,989
Under 15	89	89	-	-
15 - 17	5,106	5,089	3	14
18 - 19	13,786	13,610	17	159
20 - 21	8,066	7,638	21	407
22 - 24	6,202	5,131	55	1,016
25 - 29	3,985	2,272	109	1,604
30 - 34	2,431	963	144	1,324
35 - 39	2,165	699	281	1,185
40 - 44	1,833	467	391	975
45 - 54	2,393	508	880	1,005
55 & over	1,280	241	743	296
Not stated	9	5	-	4
<u>Total White</u>	39,432	30,289	2,169	6,974
Under 15	67	67	-	-
15 - 17	4,248	4,231	3	14
18 - 19	12,293	12,119	17	157
20 - 21	6,995	6,575	21	399
22 - 24	5,174	4,166	51	957
25 - 29	3,043	1,511	98	1,434
30 - 34	1,782	534	121	1,127
35 - 39	1,573	375	219	979
40 - 44	1,384	262	308	814
45 - 54	1,851	286	724	841
55 & over	1,015	160	607	248
Not stated	7	3	-	4
<u>Total Nonwhite</u>	7,913	6,423	475	1,015
Under 15	22	22	-	-
15 - 17	858	858	-	-
18 - 19	1,493	1,491	-	2
20 - 21	1,071	1,063	-	8
22 - 24	1,028	965	4	59
25 - 29	942	761	11	170
30 - 34	649	429	23	197
35 - 39	592	324	62	206
40 - 44	449	205	83	161
45 - 54	542	222	156	164
55 & over	265	81	136	48
Not stated	2	2	-	-



TABLE 44. MARRIAGES BY AGE OF RESIDENT BRIDES AND PREVIOUS MARITAL STATUS AND RACE, MARYLAND, 1965

Age of Bride	All Marriages	PREVIOUS MARITAL STATUS		
		Never Married	Widowed	Divorced
<u>Total Marriages</u>	27,706	21,852	1,432	4,422
Under 15	46	46	-	-
15 - 17	3,262	3,248	3	11
18 - 19	7,688	7,578	11	99
20 - 21	5,199	4,954	13	232
22 - 24	4,181	3,497	38	646
25 - 29	2,328	1,315	68	945
30 - 34	1,303	485	83	735
35 - 39	1,070	292	162	616
40 - 44	896	159	212	525
45 - 54	1,131	191	457	483
55 & over	597	83	385	129
Not stated	5	4	-	1
<u>Total White</u>	22,701	17,725	1,169	3,807
Under 15	30	30	-	-
15 - 17	2,667	2,653	3	11
18 - 19	6,636	6,526	11	99
20 - 21	4,436	4,199	13	224
22 - 24	3,462	2,824	35	603
25 - 29	1,747	864	59	824
30 - 34	946	265	70	611
35 - 39	773	143	126	504
40 - 44	667	80	163	424
45 - 54	875	95	376	404
55 & over	459	44	313	102
Not stated	3	2	-	1
<u>Total Nonwhite</u>	5,005	4,127	263	615
Under 15	16	16	-	-
15 - 17	595	595	-	-
18 - 19	1,052	1,052	-	-
20 - 21	763	755	-	8
22 - 24	719	673	3	43
25 - 29	581	451	9	121
30 - 34	357	220	13	124
35 - 39	297	149	36	112
40 - 44	229	79	49	101
45 - 54	256	96	81	79
55 & over	138	39	72	27
Not stated	2	2	-	-



TABLE 45. MARRIAGES BY AGE OF ALL GROOMS AND PREVIOUS MARITAL STATUS AND RACE, MARYLAND, 1965

Age of Groom	All Marriages	PREVIOUS MARITAL STATUS		
		Never Married	Widowed	Divorced
<u>Total Marriages</u>	47,345	36,345	2,278	8,722
15 - 17	648	648	-	-
18 - 19	5,868	5,855	1	12
20 - 21	10,053	9,901	3	149
22 - 24	10,543	9,887	12	644
25 - 29	7,028	5,361	45	1,622
30 - 34	3,281	1,790	70	1,421
35 - 39	2,661	1,065	144	1,452
40 - 44	2,152	712	189	1,251
45 - 54	2,810	698	618	1,494
55 & over	2,299	427	1,196	676
Not stated	2	1	-	1
<u>Total White</u>	39,432	30,113	1,831	7,488
15 - 17	552	552	-	-
18 - 19	5,095	5,082	1	12
20 - 21	8,747	8,602	2	143
22 - 24	9,120	8,487	11	622
25 - 29	5,810	4,270	41	1,499
30 - 34	2,563	1,281	53	1,229
35 - 39	2,020	689	113	1,218
40 - 44	1,631	450	153	1,028
45 - 54	2,131	425	489	1,217
55 & over	1,762	274	968	520
Not stated	1	1	-	-
<u>Total Nonwhite</u>	7,913	6,232	447	1,234
15 - 17	96	96	-	-
18 - 19	773	773	-	-
20 - 21	1,306	1,299	1	6
22 - 24	1,423	1,400	1	22
25 - 29	1,218	1,091	4	123
30 - 34	718	509	17	192
35 - 39	641	376	31	234
40 - 44	521	262	36	223
45 - 54	679	273	129	277
55 & over	537	153	228	156
Not stated	1	-	-	1



TABLE 46. MARRIAGES BY AGE OF RESIDENT GROOMS AND PREVIOUS MARITAL STATUS AND RACE, MARYLAND, 1965

Age of Groom	All Marriages	PREVIOUS MARITAL STATUS		
		Never Married	Widowed	Divorced
<u>Total Marriages</u>	25,852	20,175	1,221	4,456
15 - 17	370	370	-	-
18 - 19	3,443	3,436	1	6
20 - 21	5,500	5,426	1	73
22 - 24	6,021	5,696	5	320
25 - 29	4,056	3,117	28	911
30 - 34	1,755	939	41	775
35 - 39	1,296	477	83	736
40 - 44	1,058	308	111	639
45 - 54	1,352	278	355	719
55 & over	1,000	128	596	276
Not stated	1	-	-	1
<u>Total White</u>	21,063	16,297	982	3,784
15 - 17	310	310	-	-
18 - 19	2,934	2,927	1	6
20 - 21	4,624	4,553	1	70
22 - 24	5,037	4,730	4	303
25 - 29	3,272	2,417	25	830
30 - 34	1,351	653	33	665
35 - 39	990	304	67	619
40 - 44	792	183	93	516
45 - 54	1,006	153	278	575
55 & over	747	67	480	200
<u>Total Nonwhite</u>	4,789	3,878	239	672
15 - 17	60	60	-	-
18 - 19	509	509	-	-
20 - 21	876	873	-	3
22 - 24	984	966	1	17
25 - 29	784	700	3	81
30 - 34	404	286	8	110
35 - 39	306	173	16	117
40 - 44	266	125	18	123
45 - 54	346	125	77	144
55 & over	253	61	116	76
Not stated	1	-	-	1





TABLE 47. TOTAL MARRIAGES BY AGE OF BRIDE AND AGE OF GROOM, MARYLAND, 1965

Age of Groom	All Ages	AGE OF BRIDE											
		Under 15	15	16	17	18	19	20	21	22	23	24	
Total	47,345	89	394	1804	2908	8229	5557	4536	3530	2879	2010	1313	
15	6	2	2	1	1	-	-	-	-	-	-	-	
16	111	5	20	43	26	12	5	-	-	-	-	-	
17	531	15	62	131	158	130	25	3	4	1	1	-	
18	2,586	27	103	442	580	945	311	94	33	22	7	10	
19	3,282	14	81	346	545	1261	644	224	78	35	25	11	
20	4,080	4	44	266	541	1386	866	575	219	80	43	17	
21	5,973	10	38	225	399	1865	1236	1003	601	278	118	67	
22	4,757	4	15	128	262	1059	864	830	650	498	211	79	
23	3,298	2	8	69	131	505	526	549	493	433	259	111	
24	2,488	2	9	52	89	342	330	356	371	311	252	131	
25	1,884	-	5	24	50	199	190	224	277	241	186	136	
26	1,645	2	1	22	41	144	180	175	186	217	179	121	
27	1,393	-	4	17	20	92	101	126	143	160	160	104	
28	1,142	1	1	11	12	81	80	96	126	130	109	80	
29	964	-	-	4	15	51	51	72	75	110	81	76	
30 - 34	3,281	-	-	11	25	98	91	129	176	226	224	211	
35 - 39	2,661	-	-	6	6	43	26	52	64	89	104	104	
40 - 44	2,152	-	1	3	4	7	21	18	24	28	37	34	
45 - 49	1,555	1	-	1	-	4	8	5	7	14	10	14	
50 - 54	1,255	-	-	2	1	3	1	1	2	5	2	4	
55 & over	2,299	-	-	-	2	2	1	3	1	1	2	3	
Not stated	2	-	-	-	-	-	-	-	-	-	-	-	



TABLE 47. (CONTINUED)

Age of Groom	AGE OF BRIDE										
	25	26	27	28	29	30-34	35-39	40-44	45-49	50-54	55 & over
Total	1106	888	748	657	586	2431	2165	1833	1454	939	1280
15	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-
18	3	1	2	1	-	3	1	-	-	-	-
19	5	4	2	2	-	5	-	-	-	-	-
20	7	11	6	5	3	2	-	1	-	-	2
21	41	30	16	7	11	18	7	2	-	-	1
22	44	27	22	18	11	27	4	3	-	-	1
23	69	36	23	18	22	29	12	3	-	-	-
24	74	45	36	20	18	36	11	2	-	-	1
25	103	86	45	28	18	57	10	4	-	-	1
26	101	75	50	39	22	64	20	2	3	-	1
27	105	80	89	54	31	75	24	5	2	-	1
28	93	63	46	26	35	106	32	7	3	2	-
29	75	54	52	37	42	119	36	12	2	-	-
30 - 34	225	194	191	186	172	621	330	120	37	8	5
35 - 39	95	112	106	122	112	600	562	301	125	26	5
40 - 44	42	45	39	55	58	365	528	519	246	63	14
45 - 49	17	16	10	23	23	154	326	383	374	121	42
50 - 54	7	3	9	9	8	91	165	268	319	245	110
55 & over	-	6	4	7	-	59	97	200	343	474	1094
Not stated	-	-	-	-	-	-	-	1	-	-	-



TABLE 48. MARRIAGES BY PREVIOUS MARITAL STATUS AND RESIDENCE  
OF BRIDE, BY RACE, MARYLAND, 1965

Resident Status of Bride	All Marriages	PREVIOUS MARITAL STATUS OF BRIDE		
		Never Married	Widowed	Divorced
<u>Total Marriages</u>	47,345	36,712	2,644	7,989
Resident Bride	27,706	21,852	1,432	4,422
Resident groom	24,175	18,932	1,268	3,975
Nonresident groom	3,531	2,920	164	447
Nonresident bride	19,639	14,860	1,212	3,567
Resident groom	1,677	1,296	108	273
Nonresident groom	17,962	13,564	1,104	3,294
<u>Total White</u>	39,432	30,289	2,169	6,974
Resident bride	22,701	17,725	1,169	3,807
Resident groom	19,580	15,151	1,028	3,401
Nonresident groom	3,121	2,574	141	406
Nonresident bride	16,731	12,564	1,000	3,167
Resident groom	1,483	1,133	96	254
Nonresident groom	15,248	11,431	904	2,913
<u>Total Nonwhite</u>	7,913	6,423	475	1,015
Resident bride	5,005	4,127	263	615
Resident groom	4,595	3,781	240	574
Nonresident groom	410	346	23	41
Nonresident bride	2,908	2,296	212	400
Resident groom	194	163	12	19
Nonresident groom	2,714	2,133	200	381





TABLE 49. MARRIAGES BY PREVIOUS MARITAL STATUS AND RESIDENCE  
OF GROOM, BY RACE, MARYLAND, 1965

Resident Status of Groom	All Marriages	PREVIOUS MARITAL STATUS OF GROOM		
		Never Married	Widowed	Divorced
<u>Total Marriages</u>	47,345	36,345	2,278	8,722
Resident groom	25,852	20,175	1,221	4,456
Resident bride	24,175	18,948	1,093	4,134
Nonresident bride	1,677	1,227	128	322
Nonresident groom	21,493	16,170	1,057	4,266
Resident bride	3,531	2,946	136	449
Nonresident bride	17,962	13,224	921	3,817
<u>Total White</u>	39,432	30,113	1,831	7,488
Resident groom	21,063	16,297	982	3,784
Resident bride	19,580	15,218	873	3,489
Nonresident bride	1,483	1,079	109	295
Nonresident groom	18,369	13,816	849	3,704
Resident bride	3,121	2,612	116	393
Nonresident bride	15,248	11,204	733	3,311
<u>Total Nonwhite</u>	7,913	6,232	447	1,234
Resident groom	4,789	3,878	239	672
Resident bride	4,595	3,730	220	645
Nonresident bride	194	148	19	27
Nonresident groom	3,124	2,354	208	562
Resident bride	410	334	20	56
Nonresident bride	2,714	2,020	188	506



TABLE 50. MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, MARYLAND, 1965

Previous Marital Status of Groom	Total	PREVIOUS MARITAL STATUS OF BRIDE		
		Never Married	Widowed	Divorced
Total marriages	47,345	36,712	2,644	7,989
Never married	36,345	32,541	695	3,109
Widowed	2,278	524	987	767
Divorced	8,722	3,647	962	4,113

TABLE 51.  
MARRIAGES BY STATE OF RESIDENCE OF BRIDE AND GROOM, MARYLAND, 1965

State of Residence	Bride	Groom	State of Residence	Bride	Groom
Total	47,345	47,345	Nebraska	9	27
Alabama	25	42	Nevada	9	8
Alaska	2	5	New Hampshire	17	39
Arizona	4	20	New Jersey	1,908	2,006
Arkansas	3	14	New Mexico	9	17
California	60	156	New York	1,877	2,008
Colorado	18	25	North Carolina	65	145
Connecticut	369	417	North Dakota	1	9
Delaware	1,187	1,219	Ohio	676	845
District of Columbia	1,313	1,379	Oklahoma	6	31
Florida	109	208	Oregon	14	28
Georgia	27	77	Pennsylvania	7,521	7,612
Hawaii	4	6	Rhode Island	21	40
Idaho	3	12	South Carolina	22	37
Illinois	64	144	South Dakota	3	8
Indiana	50	106	Tennessee	18	61
Iowa	12	30	Texas	42	91
Kansas	10	28	Utah	3	9
Kentucky	21	50	Vermont	9	19
Louisiana	11	38	Virginia	1,992	2,184
Maine	31	38	Washington	14	23
Maryland	27,706	25,852	West Virginia	1,731	1,665
Massachusetts	134	202	Wisconsin	32	53
Michigan	61	154	Wyoming	1	5
Minnesota	18	31	Other United States*	3	3
Mississippi	7	16	Foreign Countries	65	56
Missouri	22	35	* U. S. Possessions, & U. S.: State not specified		
Montana	6	12			



TABLE 52. ABSOLUTE DIVORCES AND ANNULMENTS, BY POLITICAL SUBDIVISION OF OCCURRENCE AND LEGAL GROUNDS FOR DECREE, MARYLAND, 1965

Area of Occurrence	ABSOLUTE DIVORCES AND ANNULMENTS			LEGAL GROUNDS				
	Total	Absolute Divorces	Annulments	Voluntary Separation	Desertion*	Adultery	All Other**	Not Stated
Maryland State	6,978	6,850	128	3,484	2,202	989	214	89
Baltimore City	2,787	2,736	51	1,447	945	282	96	17
Total Counties	4,191	4,114	77	2,037	1,257	707	118	72
Allegany	170	165	5	75	37	43	10	5
Anne Arundel	358	349	9	156	98	62	20	22
Baltimore	722	717	5	305	270	111	10	26
Calvert	31	31	-	10	17	3	-	1
Caroline	35	35	-	18	11	6	-	-
Carroll	81	81	-	43	20	13	3	2
Cecil	99	88	11	39	32	15	12	1
Charles	36	36	-	17	16	3	-	-
Dorchester	64	64	-	38	18	8	-	-
Frederick	135	133	2	64	17	52	2	-
Garrett	30	29	1	4	17	6	1	2
Harford	119	119	-	54	51	14	-	-
Howard	42	42	-	18	16	5	3	-
Kent	33	33	-	9	14	7	-	3
Montgomery	519	512	7	286	169	53	11	-
Prince Georges	1,105	1,088	17	628	300	151	26	-
Queen Annes	21	21	-	3	12	5	1	-
Saint Marys	54	52	2	29	13	9	3	-
Somerset	50	48	2	17	15	15	2	1
Talbot	46	46	-	26	9	9	-	2
Washington	227	216	11	95	56	60	9	7
Wicomico	160	156	4	67	41	48	4	-
Worcester	54	53	1	36	8	9	1	-

\* Desertion for 18 months.

\*\* Includes incurable insanity, impotence, imprisonment for conviction of a felony, and any cause which renders a marriage null and void from the beginning. All annulments are included.



TABLE 53. LIMITED DIVORCES, BY POLITICAL SUBDIVISION OF OCCURRENCE AND LEGAL GROUNDS FOR DECREE, MARYLAND, 1965

Area of Occurrence	Total	LEGAL GROUNDS		
		Desertion*	All Other**	Not Stated
Maryland State	183	159	16	8
Baltimore City	50	47	2	1
Total Counties	133	112	14	7
Allegany	9	5	3	1
Anne Arundel	15	12	-	3
Baltimore	32	28	2	2
Calvert	-	-	-	-
Caroline	-	-	-	-
Carroll	6	5	1	-
Cecil	2	2	-	-
Charles	-	-	-	-
Dorchester	1	1	-	-
Frederick	2	1	1	-
Garrett	1	-	1	-
Harford	-	-	-	-
Howard	1	1	-	-
Kent	1	1	-	-
Montgomery	18	18	-	-
Prince Georges	36	33	3	-
Queen Annes	-	-	-	-
Saint Marys	2	-	2	-
Somerset	-	-	-	-
Talbot	1	1	-	-
Washington	4	3	-	1
Wicomico	2	1	1	-
Worcester	-	-	-	-

\* Desertion for any period of time.

\*\* Includes cruelty of treatment and excessively vicious conduct.





TABLE 54. ABSOLUTE DIVORCES AND ANNULMENTS, THREE MARYLAND AREAS OF OCCURRENCE,  
BY DURATION OF MARRIAGE, MARYLAND, 1965

Area of Occurrence	Total Number Granted	DURATION OF MARRIAGE IN YEARS									
		Under 2	2-3	4-5	6-7	8-9	10-14	15-19	20-24	25 & over	Not stated
Maryland State	6,978	286	898	912	861	709	1,218	944	598	520	32
Baltimore City	2,787	87	310	336	360	319	503	389	260	214	9
Total Counties	4,191	199	588	576	501	390	715	555	338	306	23

TABLE 55. ABSOLUTE DIVORCES AND ANNULMENTS, THREE MARYLAND AREAS OF OCCURRENCE, BY PARTY TO WHOM DECREE WAS GRANTED, MARYLAND, 1965

Area of Occurrence	Total Number Granted	PARTY TO WHOM DECREE GRANTED		
		Husband	Wife	Not Stated
Maryland State	6,978	2,683	4,167	128
Baltimore City	2,787	1,054	1,726	7
Total Counties	4,191	1,629	2,441	121



TABLE 56. ABSOLUTE DIVORCES AND ANNULMENTS, THREE MARYLAND AREAS OF OCCURRENCE, BY PLACE WHERE MARRIAGE WAS PERFORMED, 1965

PLACE WHERE MARRIAGE WAS PERFORMED	AREA OF OCCURRENCE		
	Maryland State	Baltimore City	Total Counties
Total, All Decrees	6,978	2,787	4,191
Maryland	4,861	2,172	2,689
District of Columbia	466	55	411
Virginia	336	117	219
All Other U. S.	1,166	396	770
Foreign Countries	124	44	80
Not Stated	25	3	22

TABLE 57. ABSOLUTE DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN REPORTED UNDER 18 YEARS OF AGE, OCCURRENCES IN MARYLAND COUNTIES, 1965\*

Number of Children Reported	Number of Absolute Divorces and Annulments Granted
Total	4,191
None	1,530
1	1,091
2	809
3	428
4	176
5	72
6 or more	37
Not stated	48

\* Data for Baltimore City not available.

















3 1430 02881774 2



a 31430028817742 b  
UNIV OF MD COLLEGE PARK



